

Names are entered in the index only when not attached to a citation; for cited authors consult the reference list.

- Abbott of St. Albans, 318
Abyssal mixing. *See* Mixing
Advective instability. *See* Internal waves
Agassiz, Alexander, 209
Agulhas Current, 82
Air Mass Transformation Experiment (AMTEX), 503
Air-sea interaction, 3, 449–450, 482–503
 boundary layers, 497–503
 boundary layer winds, 500–503
 buoyancy fluxes, 484–485, 498–500
 convective plumes, 498–500
 drag coefficients, 485, 487–490
 flux gradients, 485–486
 gas-exchange, 440
 humidity, 486
 Langmuir circulation, 495
 near-surface profiles, 483–486
 roughness length, 486–487
 surface waves, 491–495
 surface wave spectrum, 491–493
 transfer coefficients, 485–490
Airy solutions. *See* Equatorially trapped waves; Internal waves
Aleutian Trench, 36
American Miscellaneous Society, Albatross Award, xviii
Anelastic equation, 546
Annual variability, 355–357
 on shelf, 223–226, 230, 232
Antarctic Bottom Water, 11, 15–22, 54, 401, 453–456
Antarctic Circumpolar Current. *See* Circumpolar (Antarctic) Current
Antarctic Ocean. *See* Southern Ocean
Arabian Sea, 10, 21
Argentine Basin, 17
Argon (Ar), 447
Aries (vessel), xvi, xxv
Arons, Arnold B., xx
Array design, 431–433
Arthur, Robert S., xxvii
Atlantic Ocean. *See also* General Circulation; Gulf Stream; North Atlantic Ocean; South Atlantic Ocean transports
 boundary currents, 26–29
 early observations of, 7–10
 water mass properties of, 42–69, 71–72, 74–111
Atlantic Tradewind Experiment (ATEX), 503
Atlantis (vessel), xvi, 211, 398
Atmospheric forcing. *See* Meteorological forcing
Atmospheric general circulation, 396, 503–504

Baffin (vessel), 137
Baird (vessel), 398
Baltic Sea, 202
Barbados Oceanographic and Meteorological Experiment (BOMEX), 503
Barber, Norman F., 482
Barium (Ba), 444–445
Baroclinic instability, 141, 169–182, 372–373, 506, 508, 529–532, 545–546
 finite amplitude, 173–177
 linear theory, 169–173

- Baroclinic waves. *See* Internal waves; Long waves; Rossby waves
- Barotropic instability, 529–532
- Batchelor, George K., 482
- Battery properties, 401
- Bénard convection, 384
- Bermuda, xx, 261, 270, 287, 320–321, 348, 359, 364
- Bernoulli equation, 117
- Bernoulli, Jean, xiv–xv
- Beryllium, 447–448
- Beta-effect, xv–xvi
- Beta-plane, 143–147, 301–302, 344
- Beta-spiral, xxi, xxiii, 91, 397
- Bigelow, Henry Bryant, xxiv, 209–212
- Biology, 3, 376–383. *See also* Property distributions
ecosystem dynamics, 379–381
fisheries, 376
of rings, 379
spatial variability of, 376–378
temporal variability of, 377–383
year class strength, 377
- Bjerknes, Carl A., 463–464
- Bjerknes, Vilhelm F. K., xxiv
- Blake–Bahama Outer Ridge, 28, 121
- Blanchard, Duncan C., xx
- Bottom trapped waves, 166, 168–169, 311, 315
- Bottom water formation, 15–25, 450, 453–456
near Antarctica, 15–22
in North Atlantic, 22–25
- Boundary layer. *See* Air–sea interaction; General circulation; Gulf Stream
- Boundary mixing. *See* Mixing
- Boussinesq approximation, 142, 385, 547
- Boussinesq equations (convection), 385–386
- Box models, 448–450
- Bradley, Albert, 413
- Bransfield Strait, 15–16
- Brown, Neil, 415–419
- Brown, Sanborn, 40
- Buchanan, John Young, 11
- Budyko, Mikhail Ivanovich, 482
- Bullard, (Sir) Edward C., xxv
- Buoyancy layers, 260
- Burger-scale motion, 513, 516–517
- Cabbeling, 257
- California Current, 342
- California, Gulf of, 324–326
- Carbon dioxide (CO₂), 434, 439, 447, 456
- Carbon-14 (¹⁴C), 246, 434–440, 445, 450–460
normalization, 439
- Carbon, total dissolved, 434–440
- Caribbean Sea, 84, 475
model of, 475
- Carnegie (vessel), 10, 78–79, 85
errors in data, 78–79
- Carrier, George F., xv, xix
- Cayman Basin, 413
- Central Indian Basin and Ridge, 10, 32, 36
- Cesium (Cs), 446
- Challenger expedition, xxvii, 9, 11, 348–349, 429
- Charney, Jule G., xv, xx–xxi, xxvii, 482
- Chemical tracers, 434–460
models of distribution, 14–15, 448–450
- Chesapeake Bay, 206
- Chesapeake Bay Institute, 233
- Chlorinity, 418
- Circulation. *See* General circulation
- Circumpolar (Antarctic) Current, 12, 77, 84, 355, 432–433, 523
- Circumpolar deep water, 15
- Climate/Long Range Investigation Mapping and Predictions (CLIMAP), 348, 350–351
- Clipperton Fracture Zone, 36
- Closure schemes, 178, 543
- Cnoidal waves, 514, 545
- Conductivity. *See* Property distributions
- Continental shelves. *See* Shelves, continental
- Convection, 384–393, 482. *See also* Mixing processes
amplitude of, 384–395
Bénard, 384
Boussinesq description, 385–386
deep, 21, 384
finite amplitude, 386
heat flux in, 384
marginal instability in, 386, 391
mean field theory, 387–389
in Mediterranean Sea (*see* Mediterranean Sea)
in ocean, 384
power integrals, 386
Rayleigh theory, 384, 386–387
in shear, 389
subcritical instability in, 386
turbulent, 384, 387–393
turbulent upper bounds, 387–388
turbulent in shear, 389
in Weddell Sea (*see* Weddell Sea)
- Convective instability. *See* Internal waves
- Copepods, 381
- Corals, 439
- Coral Sea, tides of, 320–321
- Corelayer (“Kernschicht”) method, 43, 57, 75, 79
- COSMOS (Complementary symmetry metal oxide semiconductor), 400–401
- Cox number, 281
- Crease, James, xvi, 411, 420, 430
- Critical layers. *See* Internal waves; Wave–mean flow interaction
- Croll, James, 8
- C-shape (in general circulation), 85, 89–91
- Curieuse, La (vessel), xxvi
- Dahlen, John M., 399
- Dana expedition, 10, 74
- Deacon, (Sir) George E. R., 411
- Deep water, sources of, 6–26, 107, 457–459
source models, 17, 19, 20–21, 58
- Defant, Albert, xvi, xxiv–xxv
- Delaware estuary, 205
- Denmark Strait, 408. *See also* Norwegian Sea
overflow, 23–24, 72, 83
water (DSW), 83, 453
- Deuterium, 448
- Deutschland (vessel)
in ice, 17
stations, 9
- Diagnostic calculations, 85–90, 142
- Diffusion. *See* Fickian diffusion; Mixing
- Discovery (vessel), xvi, 10
- Dissipation (turbulent), 282–284
- Double-diffusive convection, instability. *See* Mixing; Salt fingers
- Drag coefficients, 485, 487–490
- Drag reduction, 391

- Drake Passage, 363, 371–372, 425, 430. *See also* Southern Ocean
- Draper, Charles S., Laboratory, 399, 406
- Dye dispersion, 377–378
- Dynamic height (steric height/depth), 73–74, 76, 85, 87–88, 104–105, 107–108, 138
- Dynamical method. *See* Geostrophy
- Eady, Eric T., 482
- Eastern boundary currents, 151–152, 154
- East Pacific Rise, 35
- Eddies, 313–314, 342–343, 358–373, 430–432, 507–508. *See also* Baroclinic instability; Mixing
in Arctic Sea, 371
diffusion, xix
eddy–mean flow interaction, 507
Gulf Stream, 117–119, 373–374, 507
heat flux by, 372–373, 384
modal structure, 371–372
Reynolds stresses, 372, 507–508
on shelf, 212
Soviet study of, 359
spin-down, 527–529
topographic interaction, 370–371, 373
western boundary currents, 373
- Eddy coefficients, 342, 345
- Eddy-containing band, 359, 370, 373
- Edge waves, 307, 309–317. *See also* Shelf waves
- Ekman dynamics, 147–149, 506. *See also* Spin-up/down
flux, 20, 148
laboratory models, 463–464
layer, 140–141, 147–148, 463–471, 525–526
pumping, xxi, 506, 520, 527
turbulent, 149
- Ekman, V. Walfrid, xxiv
- Ellis, Henry, 7
- El Niño, 192–193, 379, 397–398
- Eltanin* (vessel), 43
- Enstrophy, 175, 346, 529, 543–544. *See also* Potential vorticity
- Entrainment. *See* Mixing
- Equatorial circulation, 83, 184–196. *See also* General circulation; North Equatorial Countercurrent; North Equatorial Current; South Equatorial Countercurrent; Undercurrents, equatorial
cross-equatorial flow, 109
deep jets, 194
theory of, 185, 188–195
upwelling, 192, 456
variability, 184
- Equatorially trapped waves, 186, 191–193, 295, 304–308, 513, 527
Airy solution, 306–307
Kelvin wave, 191–192, 305, 527
nonlinear, 516
- Erika Dan* (vessel), 43
- Estuaries, 198–207. *See also* Chesapeake Bay; Maine, Gulf of; Puget Sound
circulation, 199–204
classification of, 202
current measurements in, 200–201
flushing of, 202
mixing in, 203–240
salt balance, 205
salt-wedge, 203, 205
sea-level fluctuations in, 206
theories of, 203–207
tidal flow in, 200
tidal mixing in, 206
turbulence in, 205–206
- Ewing, W. Maurice, xiv
- Experiment design, 429–433
- Faller, Alan J., xvii, xxi
- Faraday, Michael, 396
- Fickian diffusion, 239
- Fine structure, 257–258, 268, 279–284, 418
intrusive, 279–282
- Finland, Gulf of, 201
- Fish population, 376–379
- Flamsteed, John, 318
- Floating instrument platform (FLIP), 265, 398, 428
- Floats. *See* Instruments
- Florida Straits. *See* Gulf Stream
- Fluorometric techniques, 376
- Fofonoff, Nick P., xvi, xx
- Fofonoff's rule, 285
- Food web, 376–383
- Form-drag instability, 534–539
on topography, 538–539
- Frantz, David, xvi
- Freon, 447
- Friction, lateral, 151–152. *See also* Ekman dynamics; Tides; Wind-driven circulation
- Friedman–Keller equation, 484
- Fronts and biological productivity, 377–378
- Fuglister, Frederick C., xxi
- GARP. *See* Global Atmospheric Research Program
- Garrett–Munk spectrum. *See* Internal waves
- Gas exchange, 440
- GATE. *See* Global Atmospheric Research Program
- GEK. *See* Instruments
- General circulation, 6–41, 70–111, 140–183. *See also* Gulf Stream; Name of ocean
Antarctic sources, 8–11, 15–22
Arabian Sea, 9–10
and chemical tracers, 434–460
C-shape in, 85, 89–91
deep, 6–41
dynamics of, 140–183
eastern boundary currents, 151–152, 154
equations for, 142–147
equatorial, 83, 184–196
history of, 7–11, 70–79
Indian Ocean, 29–34
isopycnal analysis of, 81–85
Mediterranean outflow (*see* Mediterranean Sea)
meridional circulation, 75
mid-depth, 70–111
models (*see* Laboratory models)
numerical models, 85–90, 140–141, 155–157, 175–182, 507–508
diagnostic, 89–90, 111
Persian Gulf source, 10, 25–26
Red Sea source, 10, 25
sinking regions, 15–25
thermocline circulation, 141, 158–163
topographic effects on, 151–152
tropical, 185–186, 188–190
undercurrents, western boundary, 11, 26–38, 79, 121–122
discovery of, xvi, xxi, 11, 13
upwelling in, 162–163, 358, 456
variability, 71–72

- western boundary currents, 12, 14, 26–38, 79
 models of, 37–38, 140–141, 149–151, 153–157, 531–532
 separation of, 141, 157–158
 wind-driven circulation, 71, 79, 140–142, 149–157
 General circulation of atmosphere, 396, 505–506
 Geochemical Ocean Sections Studies (GEOSECS), xvii, xxii, 435–460
 Geochemical tracers, 434–460
 modeling, 448–449
 Geomagnetism, 384
 Geophysical Fluid Dynamics Seminar, xxi–xxii
 Georges Bank, 209
 GEOS-3, 324
 GEOSECS. *See* Geochemical Ocean Sections Studies
 Geostrophic turbulence, 509, 543–544, 546
 Geostrophy, 72–73, 82, 108–109, 140, 233, 397, 508–509
 compared to numerical models, 89–91
 Gibbs Fracture Zone, 23
 Global Atmospheric Research Program (CARP), Atlantic
 Tropical Experiment (GATE), 191, 193, 503, 544
Glomar Challenger (vessel), 398
 Goody, Richard, xxi
Grampus (vessel), 209
 Grand Banks, circulation near, 85, 133, 135, 138
 Gravity currents, 260
 Guinea, Gulf of, 191
 upwelling in, 193
 Gulf Stream, xiv–xv, xx–xxi, xxv, 2, 71, 78, 81, 85, 112–139, 506. *See also* General circulation
 atmospheric forcing of, 117, 119–121, 125, 131
 branching of, 84–85, 138
 decay, 135
 deep flows, 26–29, 127
 “Charleston Bump,” 121
 eddy generation, 359
 eddy–mean flow interaction, 117–119, 127, 129–131, 134
 Florida Current, 113–122
 heat flux, 137
 infrared images of, 113–115, 124, 135–136
 instability of, 119–121, 529
 laboratory models of, 465–466
 meanders, 123–125, 529, 533–534, 545
 North Atlantic Current, 113, 133–138
 numerical models of, 132–133
 at Onslow Bay, 118–119
 oxygen distribution, 137
 path models, 126–127
 potential vorticity distribution, 121–122
 pressure gradient in, 118–119
 radiation from, 524–525, 531
 recirculation, 79, 123, 131, 397, 533–534
 rings, 125, 132, 137, 345, 527–529, 534
 rings and biological effects, 379
 rings, models of, 476
 sea-level slope, 114, 116
 separation from coast, 125–126, 139, 141, 157–158
 system names, 113
 shingles, 117
 theories of, 119–120, 127, 129, 132–134
 trajectory models, 126–127
 transport of, 121, 123, 131, 355
 variability of, 116–117, 127–130, 357, 429–430
 undercurrent, 121–122
 and waves, 119–121, 531–532
 Gulf stream '60, 126
- Hadley cell, 506
 Hales, Stephen, 7
 Hamon, Bruce V., 415
Hansen, Armauer (vessel), 398
 Harvard University, xviii, xxi–xxii
 Heat flux, 482
 in ocean, 58, 137–138
 Helium-3 (^3H), 434, 444–445
 Helland-Hansen, Bjørn, xxiv–xxv, 398
 Hill, Winfield, 401
Horizon (vessel), 398
 Howard, Louis N., xxi, xxiii
 Hydrographic data coverage, 44–46
 Hypothesis testing, xiii, 429–430
- Ice
 bottom water formation, role in, 17, 19–21
 mixing, 252
 Iceland–Scotland overflow, 22–24
 Indian Ocean, 109. *See also* General circulation
 boundary currents, 29–34
 early observations of, 10
 water mass properties, 42–49, 93–111
Indian Ocean Bubble, The, xxv
 Indian Ocean Experiment (INDEX), xxvi
 INDOPAC expedition, 57
 Inertial subrange, 239
 Inertial waves. *See* Internal waves
 Infrared measurements, 114–115, 120–121, 124, 135–136, 186, 193, 231, 426–427
 Instability. *See* Baroclinic instability; Barotropic instability; Form-drag instability; Kelvin–Helmholtz instability
 Institute for Advanced Study, xx–xxi
 Institute of Oceanographic Sciences (IOS), 411
 Instruments, 342–343, 374, 396–428
 acoustic doppler, 266–267
 acoustic releases, 407–409
 acoustic tomography, 374, 428
 bathythermograph
 BT, 212, 264, 267, 414
 XBT, 414
 XSV, 414–415
 batteries, 401–402
 conductivity measurements, 42, 415–419
 CTD, 267, 402, 414, 416, 418–419, 428
 current meters, 265, 398–399, 403–407
 Aanderaa, 405–406
 errors in, 404–405
 vector averaging, 400, 404
 vector measuring, 404–405
 vertical, 403
 Cyclesonde, 424
 drift bottles, 212–213
 drifters, 426
 electronics, role of, 399–401
 electromagnetic measurements, 422, 425–426
 geomagnetic electrokinetograph (GEK), 117, 422
 history of development, 398–400
 inverted echo sounders, 428
 laser-Raman backscatter, 428
 mooring systems, xvi–xvii, 407–410
 mooring technology, 402–404
 neutrally buoyant floats, 2, 359, 397, 410–413, 430
 SOFAR floats, xvii, 27, 412–413
 optical imagers, 419–420
 pressure gauges, 323, 399–400, 424–425

- profilers, 265–266
 air-dropped, 421–422
 salinity, 414–420
 sound, 414
 temperatures, 267, 414
 velocity, 267, 420–424
 salinometers, 42, 44, 416
 satellites, 265, 323–324, 426–427
 altimeters, 323–324, 374, 427–428
 infrared, 426–427 (*see also* Infrared measurements)
 Savonius rotor, 403–406
 SONAR, 428
 sound, 264–265, 403, 414, 428
 STD, 267, 402, 414–418
 submarines, 265
 surface drifters, 426
 synthetic aperture radar (SAR), 266
 tape recorders, 401–402
 temperature-gradient recorder, 400
 temperature–pressure (TP) recorders, 399, 406–407
 thermometers, 7–8, 10
 towed, 265
 use on continental shelf, 209, 212, 213
 White Horse, 421
 Interannual band, 373
 Interannual variability, 348–355
 Internal tides. *See* Tides
 Internal Wave Experiment (IWEX), 265, 285
 Internal waves, 264–291
 Airy function representation, 271
 breaking of, 276
 critical layers, 248, 273–275
 discovery of, 264
 dispersion relations, 269–271
 dissipation in, 288–290
 energy balance, 288–289
 and fine structure, 268
 Garrett–Munk (GM) spectrum, 285
 generation of, 288–289
 in continuously stratified ocean, 269–271
 inertial waves, 272–273, 332
 instability, 276–279, 287–290
 laboratory models, 270
 in layered ocean, 268–269
 measurement, 264–265
 and microstructure, 267
 in mixing budget, 246
 mixing from, 247–250, 261, 267, 289–290
 on equator, 272–273, 286
 parametric instability, 248
 reflection of, 270
 resonant interactions of, 272–273, 275–277
 and Richardson number, 268
 saturation, 287–290
 in shear, 273–275
 spectra, 264–265, 285–286, 290, 414
 theory of, 264
 and topography, 270–271, 286, 316–317
 traumata, 279
 turning-point solutions, 271–273
 universality, 285–286
 in waveguide, 271–272
 waveguide solutions, 271–273
 International Decade of Ocean Exploration (IDOE), xvii
 International Ice Patrol, 233
 International Indian Ocean Expedition (IIOE), xxv
 International Southern Ocean Studies (ISOS), 14, 430, 432–433
 Intertropical Convergence Zone (ITCZ), 187–188, 192
 Inverse methods, 91–92, 397, 428
 Inverted barometer, 351
 Irminger Sea, 72
 Iselin, Columbus O'Donnell, xxiv–xxv, 212, 430
 Island trapped waves, 358
 Isopycnal analysis, 81–85
 ISOS. *See* International Southern Ocean Studies
 Isotropic band, 359

 Jacobs, Woodrow C., 482
 James River, 203, 204
 Japan, Sea of, 53
 Joint Air–Sea Interaction Experiment (JASIN), 244, 503
 Joint North Sea Wave Project (JONSWAP), 491–495
 Jordan, William Leighton (Award), xxvi–xxvii

 Kattegat, 199
 Kelvin–Helmholtz instability, 249, 277–279
 billows, 249
 Kelvin, Lord (Sir William Thomson), 318
 Kelvin waves, 222, 298–299, 316, 358
 Kivu, Lake, 252–253, 256
 Koehler, Richard, 401, 404, 421
 Kolmogorov inertial subrange, 239
 Korteweg–deVries equation, 345, 513–517
 Krypton (Kr), 446–447
 Kuo, Hsiao-Lan, xxi
 Kuroshio, xxiii, 71, 540–543

 Laboratory models, 3, 140, 152–153, 201, 203, 248–249, 270, 462–479
 of circulation, 465–473
 history of, 463–464
 Langmuir circulation, 477–478
 of Rossby waves, 474–475
 of rings, 476
 of sills and weirs, 473
 philosophy of, 462–463, 478–479
 sliced cylinder, 469–473
 source–sink, 466–468, 472–473
 spin-up, 476–477
 Labrador Current, 208
 Labrador Sea, 11, 25, 72, 75, 79, 84
 Labrador Sea Water, 453–454
 Lagrangian means, 181–182, 345, 473–475
 Lakes
 boundary layers in, 149
 convection in, 252–253, 256
 mixing in, 459–460
 Langmuir circulation, 477–478, 495
 Laplace, Pierre-Simon, xv
 Laplace tidal equations, 291, 295–297. *See also* Long waves; Rossby waves; Tides
 free oscillations of ocean, 317
 numerical solutions, 328–329
 Law of the wall, 238, 502
 Lead(²¹⁰Pb), 445
 Lee waves, 332, 334, 522–524
 Lettau, Heinz Helmut, 466
 Lin, Chia-Chiao, xxi
 Loch Ness, 244, 291
 Longuet-Higgins, Michael S., xix
 Long waves, 292–341. *See also* Rossby waves; Shelf waves; Tides

- on plane, 297–299
- in stratified fluid, 299–300
- Lorenz, Edward N., xxi
- Love numbers. *See* Tides
- Low-frequency variability, 6–7, 72, 342–374, 509–517. *See also* Annual variability; Eddies; Gulf Stream; Shelf waves; Rossby waves
- history of study, 72, 343–344
- interannual, 348–355
- mesoscale, 357–373
- meteorological forcing of, 346–348, 373
- models of, 347
- spectrum of, 343, 348, 363–372
- and turbulence, 345–346
- McCullough, James R., 401
- Madagascar Basin, 29
- Maine, Gulf of, 201, 209
- Malkus, Joanne S., xxi
- Malkus, Willem V. R., xxi, xxiii, xxvii, 411
- Marginal Seas, 25–26. *See also* Name of sea
- Margules, Max, xv
- Marine Ecosystem Analysis Program (MESA), 213
- Massachusetts Institute of Technology (MIT), xviii, xxi–xxii, xxiv, xxvi, 399, 408, 466
- Mediterranean Sea, 71, 413
 - convection in, 22, 25, 199
 - outflow, 10–11, 14, 252, 371
- Méditerranée-Occidentale (MEDOC), xxii–xxiii
- Mersey River, 204–205
- Mesecar, Roderick S., 402
- Mesoscale eddy. *See* Eddies
- Meteor expedition, 10, 74–75, 264, 348
- Meteorological forcing, 346–348
 - in Gulf Stream, 119–121
 - on shelf, 214–217
 - in tropics, 185–186
- Meteorology. *See* Air–sea interaction; Atmospheric general circulation
- Michael Sars expedition, 264
- Microstructure, 257–258, 267, 279–284, 418–420
- Mid-Atlantic Ridge fracture zones, 29
- Middle Atlantic Bight, 148–233. *See also* Estuaries; Maine, Gulf of
- Mid-Ocean Dynamics Experiments (MODE-0, MODE-1), xvii–xviii, xxii–xxiii, 131, 335, 359, 363, 370, 397, 407–408, 412, 421–423, 428, 430–432, 544–545
- MIDPAC expedition, 400
- Mixed layers, models of, 240–243, 385
- Mixing, 3, 84, 203, 236–262, 267, 279, 337, 339, 449. *See also* Fickian diffusion; Internal waves; Kelvin–Helmholtz instability; Kolmogorov inertial subrange; Law of the wall; Mixed layers; Monin–Obukhov length; Ozmidov scale; Richardson number; Thermocline
- in Antarctic, 15–22, 257
- near bottom, 258–262
- in circulation, 84
- coefficients, 236, 237, 256
- by convection, 237, 243–245
- double diffusive instability, 250–257
- in estuaries, 240
- with ice, 252
- in ocean interior, 245–258
- in Red Sea, 252
- Reynolds analogy, 238
- in shear flows, 238
- and stirring, 267
- vertical, 459–460
- in Weddell Sea (*see* Weddell Sea)
- Mixing processes, 183, 237, 434, 449. *See also* Internal waves; Richardson number
- boundary, 259–602
- cabelling, 257
- convective, 250–257
- entrainment, 240–241
- external, 237, 241–243
- with ice, 252
- interfacial shears, 248–250
- internal, 237–260
- intrusive, 250, 253
- isopycnal, 81–82
- mechanical, 246–250
- “neighbor separation,” 239
- rates (vertical), 459–460
- surface driven, 241–243
- turbulent, 236, 239–240
- from wave instability, 247–250
- MODE. *See* Mid-Ocean Dynamics Experiments
- Models. *See* Laboratory models; General circulation
- Mode water, 59, 83
- Molecular processes, 250–257, 260–261
- Monin–Obukhov length, 239, 482, 484–485
- Monsoon, 191, 429, 524
- Montgomery, Raymond B., xiv, xix
- Morgan, George W., xv, xx
- Mosby, Håkon, xxiv–xxv, 415
- Multiple equilibria, 539–543
- Munk layer. *See* General circulation
- Munk, Walter H., xv, xix, 399, 482
- Nansen, Fridtjof, xxiv
- National Institute of Oceanography (NIO), 411
- National Oceanic and Atmospheric Administration (NOAA), 213–214
- Newton, Isaac, xiv–xv
- Ninetyeast Ridge, 10, 32–33, 36
- NIO. *See* National Institute of Oceanography
- Nitrogen (N), 448, 453–454
- NOAA. *See* National Oceanic and Atmospheric Administration
- North Atlantic Current. *See* Gulf Stream
- North Atlantic Ocean
 - bottom-water formation in, 22–25
 - deep water, 7, 11, 22, 25, 74–75, 77, 453–456
 - North Equatorial Countercurrent (NECC), 185, 188–189
 - North Equatorial Current (NEC), 185
 - North Pacific Experiment (NORPAX), 184
 - Norwegian Sea, 58, 84, 99, 111, 343
 - overflow, 22–24, 58
 - Nuclear testing, 434, 439
 - Numerical models. *See* General circulation
 - Nusselt number, 254, 388–393
 - Nutrients. *See* Property distributions
 - Objective analysis, 431–433
 - Observational strategies, 397–398, 430–433
 - Obukhov, Aleksander Mikhailovich, 482
 - Ocean–atmosphere analogues, 504–548
 - Oceanography
 - evolution of, xiii, 3
 - history of, 2–3
 - Ocean volumes, 49
 - Operation Cabot, 212
 - Overflow. *See* Deep water, sources of; Name of source

- Oxygen distribution, models of, 14, 33, 81. *See also* Property distributions
- Oxygen (^{18}O), 448
- Ozmidov scale, 239, 250
- Pacific Ocean
 boundary currents, 34–37
 early observations of, 10–11
 water-mass properties, 42–49, 71–72, 82–111
- Palmén, Eric H., xxiv
- Panama Basin, 35–36
- Panulirus* (vessel), xx
- Parametric instability, 248
- Particulate matter, 434
- Pelagic organisms, 378–379
- Persian Gulf, 10, 26
- Phillips, Norman A., xxi
- Photosynthesis, 382
- Planetary waves. *See* Rossby waves
- Plankton, 379–383
- Poincaré waves, 298
- Polonium (^{210}Po), 445
- Polygon, 543
- Polymer drag reduction, 391
- POLYMODE, xvii–xviii, xxiii, 131, 359, 363, 544
- Potential vorticity
 and baroclinic instability, 169–173
 conservation of, 142, 397, 509–511
- Prandtl number, 285
- Pressure fluctuations (oceanic), 303–305, 348, 475
- Priestley, Charles H. B., 482
- Property distributions, 6, 14, 43, 93–103, 448. *See also* (under specific tracers) Carbon-14; Tritium; etc.
 chlorophyll, 377, 380–381
 density, 74–75, 81–90, 93–95
 nitrate, 377
 nutrients, 80
 oxygen, 14, 33–34, 75, 77, 81, 98–99, 106
 phosphate, 75, 81, 100–101, 107
 salinity, 93, 96–97, 106, 210
 deep, 10, 18
 silica, silicate, 18, 25, 33–35, 59, 102–103, 107
 temperature, 18, 73
 deep, 6
- Pseudopotential vorticity, 519
- Puget Sound, 206
- Quasi-biennial oscillation, 532
- Quasi-geostrophic motion, 141–147, 311, 508–509, 517–520, 544, 546–548. *See also* Geostrophy
- Quasi-geostrophic turbulence. *See* Geostrophic turbulence
- Radium (Ra), 444–446
- Radon (Rn), 446, 459–460
- Rayleigh, Baron (J. W. Strutt), 384
- Rayleigh number, 239, 385–393
 critical values of, 251
- Rayleigh's theorem, 530–532
- Recirculations. *See* Gulf Stream
- Red Sea, 10, 25–26, 199
- Research vessels, 398
- Residence time. *See* Ventilation times
- Resonant interactions, in surface waves, 494
- Reynolds stresses, 486–487, 507–509, 533
- Richardson, Lewis F., xix, xxv
- Richardson number
 equilibrium, 246–247
 flux, 238, (255), 495
 gradient, 238–239, 244, 246, 249, 267, 268, 287, 485
- Richardson, William S., xvi
- Rings. *See* Gulf Stream
- Robinson, Allan R., xviii, xxi
- Rochford, David J., 415
- Roll, Hans U., 482
- Ross Sea, 15, 21
- Rossby, Carl-Gustaf A., xxiv, xxvi
- Rossby radius of deformation, 183, 517
- Rossby waves, xv, 141, 164–169, 300–303, 344–346, 472, 511–513, 520–526, 545–548
 baroclinic, 166–169
 instability of, 531, 534–538
 in layers, 164–165
 mean flow, interaction with, 532–534
 models of, 472, 474–475
 nonlinear, 513–517
 topographic effects on, 165–169, 310, 520–524
- Rumford, Count (Thompson, Benjamin), 8, 38–40
- Salinity. *See* Property distributions; Estuaries
- Salinity scale, 418
- Salinometers. *See* Instruments
- Salt fingers, xx, 250, 255, 419
 collective instability, 252
- Salt fountain, xvii, xx, 250, 419
- Samoa passage and basin, 35
- Satellite altimetry. *See* Instruments
- Satellite infrared measurements. *See* Infrared measurements
- Savonius rotor. *See* Instruments
- Schmitz, William J., Jr., 421
- Scripps Institution of Oceanography, xx, 398–399, 408
- Sea-Data Corp., 401–402
- Sea level, 114, 116. *See also* Gulf Stream; Tides
 annual changes, 355–357
 geodetic leveling of, 211–212
 variations, 191, 351–353
- SEASAT, 266, 324, 374
- Seasonal variability, 355–357
 on equator, 186–189
- Semigeostrophic motion, 508, 517
- Shelf flow, convection in. *See* Convection
- Shelf waves, 222–223, 312, 358. *See also* Edge waves;
 Shelves, continental
- Shelves, continental, 207–233. *See also* Instruments; Ross Sea; Shelf waves; Weddell Sea, Bigelow, Henry Bryant; Tides
 annual variability, 223–226, 230, 232
 atmospheric forcing of, 214–230
 circulation, early ideas on, 208–213
 circulation of, 217–226
 dumping on, 212
 flushing time, 212, 230
 Georges Bank, 209
 Middle Atlantic Bight as typical shelf, 198
 Middle Atlantic Bight physiography, 208
 models of, 222, 227–230
 pressure gradients, 227–229
 sea level in, 211, 220, 222, 227–229
 sediment movement on, 218
 storm driven currents, 214
 transports, 214
 velocity modes, 219–220
 water masses of, 208, 233

- Silica-32 (³²Si), 447
- Sippican Corporation, 414
- Slope water, 137
- Snellius Expedition, 264
- Snodgrass, Frank E., 399
- Society of Subprofessional Oceanographers (SOSO), xxvii
- SOFAR float. *See* Instruments
- SOFAR (sound fixing and ranging) channel, 412
- Solitary waves, 512–514, 543; *See also* Korteweg–de Vries equation
- Somali Current, 192
- Source–sink experiments, 466–468, 472–473
- South Atlantic Ocean transports, 28
- South Equatorial Countercurrent (SECC), 185
- South Equatorial Current (SEC), 185
- Southern Ocean, 46, 72, 110, 117. *See also* General circulation; International Southern Ocean Studies (ISOS)
- bottom-water formation in, 15–22
 - water-mass property, 42–69, 83–84
- Southwell, [Sir] Richard, v, xix, xxv
- Spin-up/down, 476–477. *See also* Ekman dynamics; Laboratory models
- and eddy field, 525–529
- Spitzer, Lyman, xix
- Spreading (*Ausbreitung*) of water masses, 11
- SPURV (Self-Propelled Under Water Research Vehicle), 413–414
- Steric height. *See* Dynamic height
- Stern, Melvin E., xx–xxi
- Stewartson layer, 469, 471
- Stokes velocity, 206, 345, 472, 534
- Stommel–Arons circulation model, xvii, xxi, 12–14, 162–163, 397
- Stommel, Henry M., v–xxxiii, 2–3, 7, 411, 482
- publications, xxviii–xxxiii
- Stommel layer. *See* General circulation
- “Strange attractors,” 387
- Strontium (Sr), 446, 456
- Stuart, John T., xxi
- Surface drift, on shelf, 209–213
- Surface heating, 243
- Surface waves, 242, 482–483
- Sverdrup, Harald U., xix, xxiv–xxv, 482
- Sverdrup relationship [balance], xix, 79, 81, 140, 149–152, 182, 188, 344–345, 509, 517, 527
- Sverdrup waves, 298
- Swallow floats. *See* Instruments
- Swallow, John C., xvi, 411–412, 420, 430
- Synoptic scale, 343, 506, 548; *See also* Eddies
- Synthetic aperture radar. *See* Instruments
- T–S* relation, 42, 44–69
- Tasman basin, 34–35
- Taylor–Goldstein equation, 273
- Temperature anomalies
- Atlantic, 354
 - Pacific, 353–356
- Temperature, history of measurement, 7
- Temperatures. *See* Property distributions
- Temperature–salinity relation. *See* *T–S* relation
- Thermocline
- seasonal models (*see* Mixed layers)
 - structure, 245
 - theory of, xxi, 38–40, 158–163, 243–245
- Thermohaline convection. *See* Convection; Mixing; Salt fingers
- Thymol-blue technique, 472
- Tidal motions of the second class. *See* Rossby waves
- Tide gauges, 424–425. *See also* Instruments, pressure gauges
- Tides, 292–341, 399
- admittance, 320–321
 - at Bermuda, 320–321
 - charts, 318–320
 - in Coral Sea, 320–321
 - dissipation, 320–324, 337–339
 - energy of, 322
 - generating forces (equilibrium tide), 293–295
 - history of, 292–293, 318–320
 - internal, 286, 293, 329–340
 - generation of, 331–334
 - as lee waves, 332
 - mixing in, 333–334, 337, 339
 - observations of, 334–337
 - on slopes and shelves, 334–337 - island effects, 327
 - long period, 339–341
 - Love numbers, 296
 - models, global, 328–330
 - models, regional, 324–328
 - and oceanography, 339–341
 - pole tide, 339
 - predictions, 318
 - Q, 322–323
 - radiational forcing, 294–295
 - and rotation of earth, 322–323
 - self-gravitation of, 296–297
 - on shelves, 326–327
 - solid-earth deformation, 296–297, 323, 339
- Tonga–Kermadec Trench and Ridge, 34–35
- Topographic waves. *See* Edge waves; Rossby waves; Shelf waves
- “Traditional” approximation, 295, 297
- Tritium (³H), 440–444, 456–460
- Tucker, Malcolm J., 411, 420
- Turbulence, 141–142, 174–177, 265, 405. *See also* Estuaries
- in atmospheric boundary layer, 483–490
 - geostrophic, 509, 543–544
 - laboratory models of, 473–474
 - mean flow generation, 473–474
 - on topography, 177–182
- Turbulence in stratified flow, 238–247
- Turbulent convection. *See* Convection
- Turbulent shear flow, 238
- Turner, J. Stewart, xx–xxi
- Tuscarora* (vessel), 10
- Undercurrents, equatorial. *See also* Equatorial circulation
- in Atlantic Ocean, 185
 - discovery of, 11, 184, 185
 - in Indian Ocean, 185, 429
 - in Pacific Ocean, 184–185, 429
 - theory of, 189–191
 - variability of, 186
- Undercurrents, western boundary. *See* General circulation; Gulf Stream
- Upwelling, 358
- equatorial, 456
 - in Gulf of Guinea, 192
- Ursell, Fritz J., 482
- Valdivia* (vessel), 10
- “Van Allen” effect, 399

Variability. *See* Interannual variability; Internal waves; Low-frequency variability

Vema (vessel), 398

Ventilation times, 449–459
of deep sea, 449–456
of thermocline, 456–457

Venus, circulation of, 506

Veronis, George, xxvi–xxvii

Vessels, oceanographic, 398

Vinci, Leonardo da, 432

Volkman, Gordon, 412

Volumetric census, 42–69

von Arx, William S., xxi, 465–466

Voorhis, Arthur D., 421

Vorticity balance, 12

Walker circulation, 353

Walvis Ridge, 28–29, 40

Water masses, 42–69
formation of, 57–59
table of volumes, 60–69

Wave–mean flow interaction, 532–534, 545–546, 548

Waves. *See* Equatorially trapped waves; General circulation; Kelvin waves; Internal waves; Rossby waves; Shelf waves; Surface waves

Webb, Douglas C., 412

Webster, T. Ferris, xvi

Weddell Sea, 12, 15–22
bottom water, 15, 17–20
circulation gyre, 17
mixing in, 260

West Australian Basin, 32, 35

Western boundary currents. *See* General circulation; Gulf Stream

Whewell, William, 318

Wilkes Land, 22

Wind-driven circulation, 71–79, 140–142, 149–157

Wind field. *See* Air–sea interaction; Meteorological forcing

Woodcock–Wyman expedition, 482

Woods Hole Oceanographic Institution, xiv, xviii–xxvii, 233, 398, 403, 407–410
Buoy Project, xvi, 407–410

Worthington, L. Valentine, xxvi–xxvii

Wunsch, Carl, xviii, 399

Yale University, xiv, xix, xxi–xxii

Yoshida jet, 192