

Appendix Table F14. Diagnostic value of mixed symptoms compared to multichannel urodynamics (“gold standard”) for mixed UI

Reference	True positive	False negative	True negative	False positive	Sensitivity	Specificity	Positive likelihood ratio	Negative likelihood ratio
Cundiff, 1997 ⁷⁵	56	26	213	240	0.68	0.47	1.29	0.67
De Muylder, 1992 ⁸⁸	45	59	233	71	0.43	0.77	1.85	0.74
FitzGerald, 2002 ⁸²	52	9	84	148	0.85	0.36	1.34	0.41
Haylen, 1989 ⁹³	57	3	74	360	0.95	0.17	1.15	0.29
KlingeLe, 2002 ⁹⁹	53	21	91	74	0.72	0.55	1.60	0.51
Lagro-Janssen, 1991 ⁹⁰	13	6	66	18	0.68	0.79	3.20	0.40
Ouslander, 1987 ⁹¹	18	7	37	73	0.72	0.34	1.08	0.83
Sand, 1988 ⁸³	30	8	78	102	0.79	0.43	1.39	0.49
Tyagi, 2010 ¹⁰²	10	4	83	62	0.71	0.57	1.67	0.50
Valente, 1988 ⁸⁵	5	8	85	4	0.39	0.96	8.56	0.64
Warrell, 1965 ⁹⁸	17	2	19	43	0.90	0.31	1.29	0.34