

11C

- (-)-3-(4-Chlorophenyl)-*N'*-[(4-[¹¹C]cyanophenyl)sulfonyl]-4-phenyl-4,5-dihydro-1*H*-pyrazole-1-carboxamide
- (-)-4-[¹¹C]Methoxycarbonyl-2-[(1-pyrrolidinylmethyl)-1-[(3,4-dichlorophenyl)acetyl]-piperidine
- (-)-*N*-[¹¹C]Propyl-norapomorphine
- (+/-)-2-(*N*-Cyclohexylethyl-*N*-[¹¹C]propyl)amino-5-hydroxytetralin
- (+/-)-2-(*N*-Phenethyl-*N*-1'-[¹¹C]propyl)amino-5-hydroxytetralin
- (+)-(2*S*,3*S*)-3-(2-[¹¹C]Methoxybenzylamino)-2-phenylpiperidine
- (+)-8-Chloro-5-(7-benzofuranyl)-7-hydroxy-3-[¹¹C]methyl-2,3,4,5-tetrahydro-1*H*-3-benzazepine
- (+)-*p*-[¹¹C]Methylvesamicolphenoxy)
- (1*R*,2*R*)-*N*-(3-(4-[¹¹C]Methoxyphenyl)-4-methylisothiazol-5-yl)-2-methylcyclopropane-carboxamide
- (2*R*)-4,5- α -Epoxy-17-methyl-3-hydroxy-6-[¹¹C]methoxy- α ,17-dimethyl- α -(2-phenylethyl)-6,14-ethenomorphinan-7-methanol
- (2-methoxy-¹¹C)-*N*-(4-(3,4-Dihydro-6,7-dimethoxy-isoquinolin-2(1*H*)-yl)butyl)-5-methylbenzamide
- (2*S*,3*S*)-(2-[¹¹C]Methoxy-5-tetrazol-1-ylbenzyl)(2-phenylpiperidin-3-yl)amine
- (2*S*,3*S*)-2-[α -(2-[¹¹C]Methylphenoxy)phenylmethyl]morpholine
- (2*S*,3*S*)-*N*-[[2-[¹¹C]Methoxy-5-[5-(trifluoromethyl)tetrazol-1-yl]phenyl]methyl]-2-phenyl-piperidin-3-amine
- (3-Ethyl-2-[¹¹C]methyl-6-quinolinyl)(cis-4-methoxycyclohexyl)methanone
- (3*R*,5*R*)-3-((*R*)-1-(4-Fluorophenyl)ethylamino)-5-(3-[¹¹C]methoxyphenyl)-1-(4-trifluoromethylphenyl)pyrrolidin-2-one
- (3*R*,5*R*)-5-(3-[¹¹C]Methoxy-phenyl)-3-((*R*)-1-phenyl-ethylamino)-1-(4-trifluoromethyl-phenyl)-pyrrolidin-2-one
- (*R*,*S*)-1,2,3,4,10,14b-Hexahydro-2-[¹¹C]methylpyrazino(2,1-*a*)pyrido(2,3-*c*)(2)benzazepine
- (*R*,*S*)-2-(*N*-Propyl-*N*-1'-[¹¹C]-propyl)amino-5-hydroxytetralin

(R)-(-)-2-Chloro-*N*-[1-¹¹C-propyl]*n*-propylnorapomorphine

(R)-(+)-8-Chloro-2,3,4,5-tetrahydro-3-[¹¹C]methyl-5-phenyl-1*H*-3-benzazepin-7-ol
([¹¹C]SCH 23390)

(R)-2,3,4,5,6,7-Hexahydro-1-[4-[1-[4-(2-[¹¹C]methoxyphenyl)piperazinyl]]-2-phenylbutyryl]-1*H*-azepine

(R)-2-[¹¹C]Methoxy-*N-n*-propylnorapomorphine

(S,S)-[¹¹C]Methylreboxetine

(S)-1-(4-2-[¹¹C]Methoxybenzyl)-5-(2-phenoxyethyl-pyrrolidine-1-sulfonyl)-1*H*-indole-2,3-dione

(S)-5-Methoxymethyl-3-[6-(4,4,4-trifluorobutoxy)benzo[*d*]isoxazol-3-yl]-oxazolidin-2-[¹¹C]one

(S)-6-[(4-Chlorophenyl)(1*H*-1,2,4-triazol-1-yl)methyl]-1-[¹¹C]methyl-1*H*-benzotriazole

(S)-*N*-(1-Ethyl-2-pyrrolidinyl)methyl)-5-bromo-2-[¹¹C]methoxy-3-methoxybenzamide

[¹¹C](+)-4-*N*-Propyl-,3,4a,5,6,10b-hexahydro-2*H*-naphth[1,2-*b*][1,4]-oxazin-9-ol

[¹¹C](5*R*)-5-(Methoxymethyl)-3-[4-[(3*R*)-4,4,4-trifluoro-3-hydroxybutoxy]phenyl]-2-oxazolidinone

[¹¹C]-[*N*-Methyl]3-[(3-fluorophenyl)sulfonyl]-8-(4-methyl-1-piperazinyl)quinoline

[¹¹C]10-Methoxy-5-(2-propenyl)-2,5-dihydro-2,2,4-trimethyl-1*H*-[1]benzopyrano[3,4-*f*]quinoline

[¹¹C]2-(2-((Dimethylamino)methyl)phenylthio)-5-(2-fluoroethyl)phenylamine

[¹¹C]2-(2-(Dimethylaminomethyl)phenylthio)-5-fluoromethylphenylamine

[¹¹C]2-(2-[2-Dimethylaminothiazol-5-yl]ethenyl)-6-(2-[fluoro]ethoxy)benzoxazole

[¹¹C]2-(Dimethylamino)-*N*-(5,6-dihydro-6-oxophenanthridin-2-yl)acetamide

[¹¹C]2-2-(Dimethylaminomethyl)phenylthio)-5-fluorophenylamine

[¹¹C]4-*N*-Methylamino-4'-hydroxystilbene

[¹¹C]5-Hydroxy-2-(4-methylaminophenyl)benzofuran

[¹¹C]Acetate

[¹¹C]Acetoacetate
[¹¹C]Carfentanil
[¹¹C]Choline
[¹¹C]Glycylsarcosine
[¹¹C]*meta*-Hydroxyephedrine
[¹¹C]Methylated LY2181308
[¹¹C]*N,N*-Dimethyl-2-(2'-amino-4'-hydroxymethylphenylthio)benzylamine
[¹¹C]*N,N*-Dimethyl-2-(2-amino-4-cyanophenylthio)benzylamine
[¹¹C]*N*-(3-Ethynylphenyl)-6,7-bis(2-methoxyethoxy)-4-quinazolinamine
[¹¹C]*N*-Methyl-*N*-phenyl-[2-(4-chlorophenyl)-6,8-dichloroimidazo[1,2-*a*]pyridin-3-yl]acetamide
[¹¹C]Norepinephrine
[¹¹C]-*p*-Hydroxyphenethylguanidine
[¹¹C]Triphenylmethylphosphonium
[¹⁸F]-3-Fluoro-2-(4-((2-nitro-1*H*-imidazol-1-yl)methyl)-1*H*-1,2,3-triazol-1-yl)propan-1-ol
[1-*methyl*-¹¹C]8-Dicyclopropylmethyl-1-methyl-3-propylxanthine
[4-*O-methyl*-¹¹C]-8-[(*E*)-2-(3,4-Dimethoxyphenyl)ethenyl]-1,3-diethyl-7-methylpurine-2,6-dione
[6-*O-methyl*-¹¹C]Diprenorphine
[7-*methyl*-¹¹C]-(*E*)-8-(3,4,5-Trimethoxystyryl)-1,3,7-trimethylxanthine
[*carbonyl*-¹¹C](*R,S*)-(N-(2-(1-(4-(2-Methoxyphenyl)piperazinyl)(2-methylethyl)))-*N*-pyridinyl)cyclohexanecarboxamide
[*Carbonyl*-¹¹C](*S*)-3-chloro-4-(4-((2-(pyridine-3-yl)pyrrolidin-1-yl)methyl)phenoxy)benzamide
[*Carbonyl*-¹¹C]*N*-(2-(1-(4-(2-Methoxyphenyl)-piperazinyl)ethyl)-*N*-pyridinyl)cyclohexanecarboxamide
[*Carbonyl*-¹¹C]-*N*-(4-Fluorobenzyl)-4-(3-(piperidin-1-yl)indole-1-sulfonyl)benzamide
[*N*-¹¹C-*methyl*]-[4-[(4-Methyl-1-piperazinyl)methyl]-*N*-[4-methyl-3-[[4-(3-pyridyl)-2-pyrimidinyl]amino]phenyl]benzamide

[*N*-Methyl-¹¹C]-(11β17α)-11-[4-(dimethylamino)phenyl]-17-hydroxy-21-[4-(methylsulfonyl)phenyl]-19-norpregna-4,9-dien-20-yn-3-one

[*N*-methyl-¹¹C]4-(4-(4-Chlorophenyl)-4-hydroxypiperidin-1-yl)-2,2-diphenyl-*N*-dimethyl-butanamide

[*N*-methyl-¹¹C]4-(4-(4-Chlorophenyl)-4-hydroxypiperidin-1-yl)-2,2-diphenyl-*N*-methyl-butanamide

[*O*-¹¹C-methyl]4-*N*-(3-Bromoanilino)-6,7-dimethoxyquinazoline

[*O*-methyl-¹¹C]2-(4-(4-(2-Methoxyphenyl)piperazin-1-yl)butyl)-4-methyl-1,2,4-triazine-3,5(2*H*,4*H*)dione

[*O*-methyl-¹¹C]2-{4-[4-(7-Methoxynaphthalen-1-yl)piperazin-1-yl]butyl}-4-methyl-2*H*-[1,2,4]triazine-3,5-dione

[*S*-methyl-¹¹C]*N,N*-Dimethyl-4-(6-(methylthio)imidazo[1,2-*a*]pyridine-2-yl)aniline

1-([4-methoxy-¹¹C]-3,4-Dimethoxyphenethyl)-4-(3-phenylpropyl)piperazinephenoxy)

1-([4-methoxy-¹¹C]3,4-Dimethoxyphenethyl)-4-[3-(4-fluorophenyl)propyl]piperazine

1-(1-Phenylethyl)-1*H*-imidazole-5-carboxylic acid [¹¹C]methyl ester

1-(2,4-Dichlorophenyl)-4-cyano-5-(4-[¹¹C]methoxyphenyl)-*N*-(pyrrolidin-1-yl)-1*H*-pyrazole-3-carboxamide

1-(2-Chlorophenyl)-*N*-[¹¹C]methyl-*N*-(1-methylpropyl)-3-isoquinoline carboxamide

1-(3,4-[¹¹C]Dimethoxyphenethyl)-4-[3-(3,4-dichlorophenyl)propyl]piperazinephenoxy)

1-(3-[¹¹C]Methoxy-4-methoxybenzyl)-6,7-dimethoxyisoquinoline

1-(9*H*-Carbazol-4-yloxy)-3-(2-(2-[¹¹C]methoxyphenoxy)ethylamino)-propan-2-ol

1-(Benzofuran-2-ylmethyl)-4-(4-[¹¹C]methoxybenzyl)piperazine

1-[¹¹C]Arachidonic acid

1-[¹¹C]Methylpiperidin-4-yl propionate

1-¹¹C-Methyl-4-piperidinyl *n*-butyrate

¹¹C/⁶⁸Ga-Labeled sel-tagged anti-epidermal growth factor receptor 2 affibody Z_{HER2:342}

¹¹C-Labeled 1,7β,10β-trihydroxy-9-oxo-5β,20-epoxytax-11-ene-2α,4,13α-triyl 4-acetate 2-benzoate 13-[(2*R*,3*S*)-3-[(tert-butoxycarbonyl)amino]-2-hydroxy-3-phenylpropanoate}

¹¹C-Labeled 6-[(3-cyclobutyl-2,3,4,5-tetrahydro-1*H*-3-benzazepin-7-yl)oxy]-*N*-methyl-3-pyridinecarboxamide hydrochloride

¹¹C-Labeled GSK931145

¹¹C-Labeled isoniazid

¹¹C-Labeled pyrazinamide

¹¹C-Labeled rhodamine-123

¹¹C-Labeled rifampicin

¹¹C-Labeled Telmisartan, an angiotensin II type 1 receptor antagonist

1R-[¹¹C]Phenylephrine

2,2,3,3-Tetramethylcyclopropanecarboxylic acid [3-(2-[¹¹C]methoxyethyl)-4,5-dimethyl-3H-thiazol-(2Z)-ylidene]amide

2-(2-(3-[¹¹C]Methoxyphenyl)ethynyl)pyridine

2-(2-(5-[¹¹C]Methoxypyridin-3-yl)ethynyl)pyridine

2-(2-[[O-¹¹C]Tolyl]vinyl)-4,5-dihydro-1H-imidazole

2-(3,4-Dimethoxyphenyl)-5-[2-(3,4-dimethoxyphenyl)ethyl-[¹¹C]methyl-amino]-2-propan-2-yl-pentanenitrile

2-(3-Fluoro-[4-¹¹C]tolyl)-4,5-dihydro-1H-imidazole

2-(4-Bromo-2,5-dimethoxyphenyl)-N-(2-[¹¹C]methoxybenzyl)ethanamine

2-(4-Iodo-2,5-dimethoxyphenyl)-N-(2-[¹¹C]methoxybenzyl)ethanamine

2-(5-[¹¹C]Methyl-hexahydro-pyrrolo[3,4-c]pyrrol-2-yl)-xanthene-9-one

2-(6-[¹¹C]Methyl-3,6-diazabicyclo[3.2.0]heptan-3-yl)-7-(6-methyl-3,6-diazabicyclo[3.2.0]heptan-3-yl)-9H-fluoren-9-one

2-[¹¹C]Methyl-5-[6-phenylpyridazine-3-yl]octahydropyrrolo[3,4-c]pyrrole

2-[¹¹C]Methyl-6-(2-phenylethynyl)pyridine

2-[2-([O-¹¹C]Tolyl)ethyl]-4,5-dihydro-1H-imidazole

2-[methyl-¹¹C]Methoxyestradiol

2-Butyl-5-[¹¹C]methoxymethyl-6-(1-oxopyridin-2-yl)-3-[[2'-(1H-tetrazol-5-yl)biphenyl-4-yl]methyl]-3H-imidazo[4,5-b]pyridine

2-chloro-N-((S)-((S)-1-[¹¹C]methylpiperidine-2-yl)(thiophen-3-yl)methyl)-3-(trifluoromethyl)benzamide ([¹¹C]SA1) and derivatives

2-Hydroxy-3-isobutyl-9-[¹¹C]methoxy-10-methoxy-1,2,3,4,6,7,-hexahydro-11bH-bezo[α]-quinolizine

2β-Carbo[¹¹C]methoxy-3β-(3'-((Z)-2-iodoethenyl)phenyl)nortropane

2 β -Carbo[¹¹C]methoxy-3 β -(4'-((Z)-2-iodoethenyl)phenyl)nortropane

2'-Fluoro-5-([¹¹C]-methyl)-1- β -D-arabinofuranosyluracil

3-(6-Methyl-pyridin-2-ylethynyl)-cyclohex-2-enone-O-¹¹C-methyl-oxime

3-[3,5-Dimethyl-4-(4-[¹¹C]methylpiperazinecarbonyl)-1*H*-pyrrol-2-ylmethylene]-2-oxo-2,3-dihydro-1*H*-indole-5-sulfonic acid (3-chlorophenyl)methylamide

3-Fluoromethyl-N-[¹¹C]methyl-4-phenyl-N-(phenylmethyl)quinoline-2-carboxamide

3-N-[¹¹C]Methylspiperone

4-(3-Cyclopentoxy-4-[¹¹C]methoxy-phenyl)pyrrolidin-2-one

4-[¹¹C]Methylphenyl-1,4-diazabicyclo[3.2.2]nonane-4-carboxylate

4-Acetoxy-7-chloro-3-(3-(4-[¹¹C]methoxybenzyl)phenyl)-2(1*H*)-quinolone

4-Cyano-1-(2,4-dichlorophenyl)-5-(4-[¹¹C]methoxyphenyl)-N-(piperidin-1-yl)-1*H*-pyrazole-3-carboxamide

4-Hydroxy-, 5-hydroxy-, and 7-hydroxy- analogs of 6-hydroxy-2-(4'-[¹¹C]methylaminophenyl)-1,3-benzothiazole

5-(6-(5-[¹¹C]methylhexahydropyrrolo[3,4-*c*]pyrrol-2(1*H*)-yl)pyridazin-3-yl)-1*H*-indole

5-Amino-7-(3-(4-[¹¹C]methoxy)phenylpropyl)-2-(2-furyl)pyrazolo[4,3-*e*]-1,2,4-triazolo[1,5-*c*]pyrimidine

5-Methyl-8-(4-[¹¹C]methyl-piperazin-1-yl)-4-oxo-4*H*-chromene-2-carboxylic acid (4-morpholin-4-yl-phenyl)-amide

6,7-Dimethoxy-2-[3-(5-[¹¹C]methoxy-1,2,3,4-tetrahydro-naphthalen-1-yl)-propyl]-1,2,3,4-tetrahydro-isoquinoline

6,7-Dimethoxy-2-[3-[4-[¹¹C]methoxy-3,4-dihydro-2*H*-naphthalen-(1*E*)-ylidene]-propyl]-1,2,3,4-tetrahydro-isoquinoline

6-Hydroxy-[1,1'-biphenyl]-3-yl-cyclohexyl-[¹¹C-*carbonyl*]carbamate

7-[¹¹C]Methoxy-1-methyl-9*H*-[3,4-*b*]indole

8-((*E*)-4-Fluoro-but-2-enyl)-3 β -p-tolyl-8-aza-bicyclo[3.2.1]octane-2 β -carboxylic acid [¹¹C]methyl ester

Biphenyl-3-yl-4-[¹¹C]methoxyphenylcarbamate

Dimethylamino-3(4-[¹¹C]methoxyphenyl)-3*H*-pyrido[3',2':4,5]thieno[3,2-*d*]pyrimidin-4-one

Ethyl 8-fluoro-5-[¹¹C]methyl-6-oxo-4*H*-imidazo[1,5-*a*][1,4]benzodiazepine-3-carboxylate

L-[5-¹¹C]-Glutamine
L-[*methyl*-¹¹C]Methionine
Methyl-[¹¹C]-4'-thiothymidine
N,N-Diethyl-2-(2-(4-[¹¹C]methoxyphenyl)-5,7-dimethyl-pyrazolo(1,5-*a*)pyrimidin-3-yl)-acetamide
N-(2-[¹¹C],5-Dimethoxybenzyl)-*N*-(5-fluoro-2-phenoxyphenyl)acetamide
N-(4-(6-(Isopropylamino)pyrimidin-4-yl)-1,3-thiazol-2-yl)-4-[¹¹C]methoxy-*N*-methylbenzamide
N-(4-(6-(Isopropylamino)pyrimidin-4-yl)-1,3-thiazol-2-yl)-*N*-methyl-4-[¹¹C]methylbenzamide
N-[(1*s*)-1-[4-[[4-methoxy-2-[(4-[¹¹C]methoxyphenyl)sulfonyl]phenyl)sulfonyl]phenyl]ethyl]methanesulfonamide
N-[[4'-[(2-Ethyl-5,7-dimethyl-3*H*-imidazo[4,5-*b*]pyridine-3-yl)methyl][1,1'-biphenyl]-2-yl]sulfonyl]-4-[¹¹C]methoxybenzamide
N-[¹¹C]Methyl-3-[[dimethylamino]carbonyloxy]-2-(2',2'-diphenylpropionoxymethyl)pyridinium
N-[¹¹C]Methylpiperidin-4-yl acetate
N-[2-[4-(3-Cyanopyridin-2-yl)piperazin-1-yl]ethyl]-3-[¹¹C]methoxybenzamide
N-[*N*-[(*S*)-1,3-Dicarboxypropyl]carbonyl]-*S*-[¹¹C]methyl-*L*-cysteine
*N*1'-([¹¹C]Methyl)naltrindole
*N*2-{6-[(4-Amino-6,7-dimethoxy-2-quinazolinyl)(methyl)amino]hexyl}-*N*2-[¹¹C]methyl-2-furamide
N-4-Fluorobut-2-yn-1-yl-2β-carbo-[¹¹C]methoxy-3β-phenyltropane
N-Acetyl-*N*-(2-[¹¹C]methoxybenzyl)-2-phenoxy-5-pyridinamine
N-Benzyl-*N*-ethyl-2-(7-[¹¹C]-methyl-8-oxo-2-phenyl-7,8-dihydro-9*H*-purin-9-yl)acetamide
N-Methyl-[¹¹C]-2-(4'-methylaminophenyl)-6-hydroxybenzothiasole
O-[¹¹C]methyl derivative of 6,7-dimethoxy-2-(4-methoxy-biphenyl-4-yl-methyl)-1,2,3,4-tetrahydro-isoquinoline
R-(-)-[¹¹C]Epinephrine
s-[¹¹C]Methyl-*L*-cysteine
S-4-(3-([¹¹C]Isopropylamino)-2-hydroxypropoxy)-2*H*-benzimidazol-2-one

trans-(+)-1,2,3,5,6,10b-Hexahydro-6-(4-([¹¹C]methylthio)-phenyl)pyrrolo-(2,1-a)-isoquinoline