TABLE 57 Summary of outcomes: quality of life

Study	Measures	Timing	Robotic	Laparoscopic	Open	Notes, e.g. validated measure or not
Guazzoni 2006 90	Postoperative	Recovery room		1.88 (1.31)	1.92 (1.08)	RCT
	pain, mean (SD)	3 hours	1.92 (1.46)	2.75 (1.99)	Pain assessed with	
		Day 1		1.7 (1.45)	2.65 (1.44)	the use of a validated
		Day 2		1.61 (0.9)	1.96 (1.2)	10-point VAS for pain ($0 = no pain$,
		Day 3		1.03 (0.82)	1.53 (1.13)	10 = worst possible
	Pain at discharge			Not reported	2/60 (3.3)	pain)
Jacobsen 2007 ¹³⁰	I-PSS quality- of-life question (patient asked how he feels about tolerating his current	Baseline		First half: 1.9 (1.8) (<i>n</i> not reported); Second half: 1.4 (1.2) (<i>n</i> not reported)	1.6 (1.6) (<i>n</i> =172)	
	level of urinary symptoms for the rest of his life: 0, mildly to 6, terrible), mean (SD)	1 year		First half: 1.9 (1.4) (<i>n</i> =29); Second half: 1.9 (1.2) (<i>n</i> =28)	1.5 (1.4) (<i>n</i> =148)	
Miller 2007111	SF-12 v.2 Physical and Mental Health Survey Acute Form					Validated tool, scale not reported
	Mental	Preoperatively	49.8 (6.2)	45.7 (9		
	component score, mean (SD)	6 weeks	57.4 (4.3)	58.0 (4.7)		
Namiki 2005 ¹³⁵	Physical component score, mean (SD) SF-36	Preoperatively 6 weeks	57.6 (2.4) 56.4 (1.7)	56.9 (6.0) 52.8 (4.7)		
Nattiki 2005	Physical	Baseline		88.9 (11.8)	88.9 (11.4)	
	function, mean (SD)	1 month		84.0 (15.8)	85.5 (13.4)	
		3 months		88.7 (11.5)	88.7 (9.2)	
		6 months		89.2 (11.1)		
		12 months		()	87.4 (12.8)	
	Dala limitation	Baseline		87.8 (12.9)	89.5 (11.0)	
	Role limitation, physical, mean (SD)			77.1 (27.2)	83.3 (23.3)	
		1 month		67.1 (29.9)	73.2 (29.7)	
		3 months		75.2 (25.3)	79.1 (23.6)	
		6 months		85.0 (18.7)	83.2 (23.4)	
		12 months		82.4 (25.0)	86.2 (22.0)	
	Bodily pain, mean (SD)	Baseline		82.0 (21.2)	84.6 (18.7)	
		1 month		74.5 (22.6)	71.2 (20.9)	
		3 months		82.3 (19.5)	80.9 (19.8)	
		6 months		82.7 (21.9)	86.0 (16.8)	
		12 months		84.2 (17.9)	85.9 (17.1)	

continued

© Queen's Printer and Controller of HMSO 2012. This work was produced by Ramsay *et al.* under the terms of a commissioning contract issued by the Secretary of State for Health. This issue may be freely reproduced for the purposes of private research and study and extracts (or indeed, the full report) may be included in professional journals provided that suitable acknowledgement is made and the reproduction is not associated with any form of advertising. Applications for commercial reproduction should be addressed to NETSCC.

Study	Measures	Timing	Robotic	Laparoscopic	Open	Notes, e.g. validate measure or not
	General health	Baseline		60.3 (17.3)	60.9 (14.4)	
	perception, mean (SD)	1 month		54.9 (16.6)	57.3 (12.2)	
		3 months		61.3 (14.9)	61.6 (16.1)	
		6 months		59.8 (13.3)	64.0 (15.2)	
		12 months		61.0 (19.0)	64.5 (16.4)	
	Mental health, mean (SD)	Baseline		71.5 (16.4)	69.1 (20.9)	
		1 month		63.5 (13.2)	68.7 (17.8)	
		3 months		70.9 (18.7)	73.8 (20.4)	
		6 months		74.6 (16.1)	75.9 (21.8)	
		12 months		75.1 (18.6)	77.8 (18.6)	
	Role limitation,	Baseline		78.2 (26.4)	80.5 (22.9)	
	emotional, mean	1 month		66.7 (27.9)	72.2 (26.9)	
	(SD)	3 months		76.1 (27.0)	77.9 (24.0)	
		6 months		82.3 (21.6)	84.3 (20.4)	
		12 months		83.1 (22.3)	86.6 (22.3)	
	Social function,	Baseline		77.3 (22.3)	80.9 (23.1)	
	emotional, mean	1 month		60.6 (28.1)	76.6 (25.2)	
	(SD)	3 months		74.7 (22.7)	81.5 (22.3)	
		6 months		79.2 (25.2)	85.6 (19.6)	
		12 months		84.3 (19.6)	88.3 (19.9)	
	Vitality, mean	Baseline		68.0 (17.0)	68.7 (19.3)	
	(SD)	1 month		61.5 (17.6)	63.3 (16.2)	
		3 months		67.0 (18.3)	71.3 (22.4)	
		6 months		72.3 (13.8)	71.5 (17.4)	
		12 months		70.7 (14.6)	72.4 (19.0)	
Vamiki 2006 ¹³⁶	SF-36			70.7 (11.0)	Retropubic	Perineal
	Physical function, mean (SD)	Baseline		90.5 (10.6)	86.9 (11.8)	86.6 (14.0)
		1 month		89.6 (8.3)	83.8 (16.8)	84.3 (12.6)
		3 months		91.2 (8.5)	85.7 (15.6)	84.2 (13.7)
		6 months		90.5 (9.3)	88.2 (16.7)	82.6 (12.9)
		12 months		89.1 (9.0)	87.0 (13.4)	86.0 (14.0)
	Role limitation, physical, mean (SD)	Baseline		83.4 (16.1)	83.1 (22.7)	80.8 (24.3)
		1 month		67.7 (25.3)	61.8 (25.0)	66.1 (23.2)
		3 months		77.4 (22.6)	74.9 (23.6)	72.7 (31.4)
		6 months		83.9(19.6)	80.6 (21.8)	80.1 (26.2)
		12 months		82.3 (24.4)	83.2 (20.3)	75.4 (27.1)
	Dodily poin	Baseline				
	Bodily pain, mean (SD)			87.9 (16.5)	85.2 (20.1)	80.7 (22.5)
		1 month		66.1 (22.3)	66.1 (23.0)	74.5 (23.2)
		3 months		87.4 (15.2)	77.2 (20.7)	77.0 (25.9)
		6 months		88.8 (16.6)	84.1 (19.1)	82.3 (24.9)
	Conorol bask	12 months		88.9 (21.8)	86.6 (18.1)	75.8 (25.2)
	General health perception,	Baseline		64.9 (14.7)	57.4 (16.3)	62.3 (16.3)
	mean (SD)	1 month		50.4 (14.5)	58.9 (16.5)	61.3 (15.9)
		3 months		63.8 (16.4)	58.9 (16.2)	56.6 (17.1)
		6 months		63.6 (14.6)	61.4 (16.3)	60.4 (18.2)
		12 months		56.3 (14.5)	61.1 (17.0)	57.3 (20.2)

TABLE 57 Summary of outcomes: quality of life (continued)

Study	Measures	Timing	Robotic	Laparoscopic	Open		Notes, e.g. validated measure or not
	Mental health, mean (SD)	Baseline		68.9 (16.7)	68.9 (16.7)	72.3 (20.9)	
		1 month		58.6 (20.3)	58.6 (20.3)	71.5 (25.4)	
		3 months		75.7 (15.4)	75.7 (15.4)	66.1 (20.0)	
		6 months		75.7 (15.2)	75.7 (15.2)	74.8 (18.1)	
		12 months		71.7 (17.2)	71.7 (17.2)	72.5 (20.0)	
	Role limitation,	Baseline		86.7 (16.9)	81.9 (22.6)	78.4 (25.5)	
	emotional, mean (SD)	1 month		70.6 (20.8)	65.4 (28.9)	66.7 (26.3)	

TABLE 57 Summary of outcomes: quality of life (continued)

© Queen's Printer and Controller of HMSO 2012. This work was produced by Ramsay *et al.* under the terms of a commissioning contract issued by the Secretary of State for Health. This issue may be freely reproduced for the purposes of private research and study and extracts (or indeed, the full report) may be included in professional journals provided that suitable acknowledgement is made and the reproduction is not associated with any form of advertising. Applications for commercial reproduction should be addressed to NETSCC.