

INDEX

- Absorption coefficient, 366
AC Bridge, 483
Acceptor, 200
 diffusion, 51
Accumulation layer, 461
Acheson process, 397
Activity, 48, 156, 327, 349
Adsorption, 302, 352, 356
Aging, 280
 overaging, 385
Amorphous solid, 277, 355–356, 359–363, 385
Anelasticity, 89–91
Angular momentum
 quenching of, 78, 85, 271, 283
Annealing, 347, 371–372, 382
 rapid thermal, 368, 372
 spheroidizing, 382
Anodization, 157, 388
Antibonding state, 110
Antiferroelectric, 204
Antiferromagnetism, 82, 223–224, 262
Atomic absorption spectroscopy, 429
Atomic emission spectroscopy, 429
Atomic force microscope (AFM), 340, 366, 471, 512
Atomic form factor, 27, 418
Atomic orbital, 7–9
 s, 7–9, 228
 p, 7–9, 228–229
 d, 7–9, 75, 228–229
Auger emission spectroscopy (AES), 357, 462
Austenite, 159–160, 374–378, 389
Autodoping, 352

Bainite, 374–382
Baliga figure of merit, 122
Band bending, 327
Bandgap, *see* Electronic energy bandgap
Band structure, *see* Electronic energy band structure
Battery, 155, 212, 215, 405
 Daniell cell, 155–156
 fuel cell, 214, 217
 lithium ion, 212
Beer's law, 409, 427, 461
Bingham stress yield, 180

Birefringence, 67
Bloch equations, 505–506
Bloch wavefunction, 229
Boltzmann equation, 55, 59
 relaxation time approximation, 55
Bond
 disorder, 35
 energy, 20, 411
Bonding, 14–17, 88, 226, 359–361
 covalent, 17, 89, 110, 226
 hydrogen, 17–19
 ionic, 17–18, 89, 110, 226
 metallic, 89
 mixed ionic-covalent, 110, 226, 228
 van der Waals, 177
Bonding state, 110
Bonding unit, local atomic
 A-B₂, 365
 A-B₄, 364
 A-A₁₂(cub), 5
 A-A₁₂(hex), 5
 A-A₁₂(icos), 3, 5, 31–32
 A-H···B, 18
Born solvation energy, 213
Bose-Einstein distribution, 37, 426, 521
Bragg diffraction, 414, 448
Bravais lattice, 41
Bridging oxygen, 175
Bright field imaging, 447
Brillouin function, 86
Brillouin zone, 229
Brittle material, 99, 377, 381
Bulk modulus, 88–89, 101
Burgers vector, 93, 381

Capacitor
 electrolytic, 203
 multilayer ceramic, 203
Carbon nanotube, 63
Catalyst, 215, 308–309
Ceiling temperature, 408
Cement, 179
Cementite, 374–376, 380–382, 389–390, 411
Ceramic, 271
Characterization, 413–511
Charge-transfer organic solid, 235

- Chemical potential, 53, 146, 325, 327–329, 334, 349–356, 455
- Chemical shift, 498
- Chemical vapor deposition, 158, 351–363, 368–369, 391–394, 397, 455
 - atmospheric pressure (APCVD), 352
 - metal-organic (MOCVD), 359
 - plasma-enhanced (PECVD), 359–363
 - reduced pressure (RPCVD), 352
 - UHV/CVD, 354–355
- Chemisorption, 309, 358
- Clausius-Mossotti formula, 330
- Clay, 177
- Cluster, 239, 256
- Coating, 157
- Coercive field, 209, 236–237, 251–252, 265–266, 268, 271, 277–278
- Cohesive energy, 19–20, 155
- Cold work, 379
- Collision time, electronic, 60
- Commutation relations, 40
- Compensation point (temperature), 277
- Compliant substrate, 340
- Composite fermion, 137
- Conductivity
 - electrical, *see* Electrical conductivity
 - thermal, *see* Thermal conductivity
- Contact potential, 164, 311, 473
- Continuous-cooling transformation (CCT) diagram, 377–378
- Continuous random network, 32–33, 115, 359
- Coordination number, 13
- Corrosion, 154, 157
 - resistance, 383, 388, 390
- Cottrell atmosphere, 379
- Coulomb
 - blockade, 63
 - interaction, 17–18, 81–82, 88, 110, 229
- Covalent bonding, *see* Bonding, covalent
- Crack
 - extension force, critical, 101
 - propagation, 100–101
- Creep, 95–96
 - Coble, 96
 - Nabarro, 96
 - primary, 96
 - rate, 95
 - secondary, 96
 - strength, 96
 - tertiary, 96
- Critical thickness, 322, 324, 344
- Crystal field, electric, 75–78, 82, 271, 273
 - splitting, 77, 85
 - stabilization energy (CFSE), 85
 - strong-field limit, 75
 - weak-field limit, 75
- Crystal growth, 342
- Crystal structure
 - beta-tungsten (beta-W), 3, 222, 249
 - body-centered tetragonal, 376
 - cesium chloride (CsCl), 17
 - hexagonal, 268–269
 - inverse spinel, 273, 281
 - magnetoplumbite, 274
 - oxide crystals, 22
 - perovskite, 203
 - sodium chloride (NaCl), 17, 222
 - spinel, 281
 - tetragonal, 270
 - trigonal (rhombohedral), 268–269
 - zincblende (cubic ZnS), 17
- Crystallite, 275
- Curie
 - constant, 78–79, 86
 - law, 78–79
 - temperature, 259, 266
- Curie-Weiss
 - law, 79–81, 86
 - temperature, 79, 86
- Cyclotron frequency, 145
- Czochralski growth, liquid-encapsulated, 358
- Dangling bond, 113, 115, 310, 347
- Daniell cell, 155–156
- Dark-field imaging, 447
- Daumas-Herold domain, 333
- Debye-Huckel theory, 326
- Debye screening length, 326
- Debye temperature, 499
- Debye-Waller factor, 36–37, 418, 497
- Defect 118, 354, 356. *See also* Dislocation, Vacancy, etc.
- Demagnetizing
 - curve, 264–265, 267
 - factor (magnetic material), 265, 286
 - field, 260, 264
- Density
 - atomic, 5
 - mass, 5, 211
- Density functional theory, 149–150
- Density of states
 - electronic, 113, 221–222, 474
 - phonon, 35–36, 43
- Dephasing time, 506
- Deposition, 303
 - pulsed laser 395
 - sputtering, 158, 344–345
- Desorption, 304, 354
- Dichroism, 288
- Dielectric, 364
- Dielectric constant (or function), 72–73, 110, 113–114, 205, 207–208, 211, 213, 258, 361, 511
 - anisotropic, 67
 - nonlocal, 72
 - tensor, 67

- Dielectric strength, 203
- Diffraction
 - amorphous solid, 31–32
 - Bragg, 414, 448
 - electron, 419, 422, 513
 - Laue, 415
 - powder, 415, 514
 - x-ray, 413–414, 418
- Diffusion, 45–51, 53–54, 162, 164, 350, 352, 354–355, 357, 359, 364, 366–367, 374, 379, 381, 383, 389
 - barrier, 369
 - chemical, 46
 - coefficient, 45, 50, 367, 371
 - constant-source, 367
 - grain boundary, 369
 - length, 45, 124
 - oxidation-enhanced (OED), 367
 - self-, 48–51, 96
 - self-interstitial mechanism, 50
 - transient-enhanced (TED), 367
 - two-step, 367
 - vacancy mechanism, 51, 96
 - velocity, 386
 - zone, 390
- Dislocation, 93, 95, 100, 322–323, 336, 348, 358, 376, 379, 381
 - density, 93–94, 99
 - edge, 94, 379
 - line tension, 381
 - loop, 381
 - misfit, 355
 - pinning, 94, 378–380
 - screw, 340, 379, 472
 - slip, 93
- Disorder
 - amorphous, *see* Amorphous solid
 - nanocrystalline, 31
- Dispersion strengthening, 94–95, 380–381, 383, 389
- Distance, polymer end-to-end, 183–185
- Distribution (segregation) coefficient, 349–351, 356, 387, 411
- Domain wall, 199, 208, 210
- Donor, 200
 - diffusion, 51
- Doping and dopants, *see* Semiconductor, doping and dopants
- Ductility, 100, 374, 378, 381–383
- Dupre formula, 321
- Dynamical matrix, 42
- Dynamical structure factor, 427
- Eddy currents, 260, 262–263, 278–280
- Edge state, 134
- Effective magneton number, 77
- Effective mass, 228, 231, 291
 - band curvature, 234
- Elastic
 - aftereffect, 90–91
 - constant, 211
 - energy, 100–101
 - modulus, *see* Young's modulus
- Electret, 201
- Electrical conductivity, 196
 - conductance, 63
 - tensor, 257
 - two-dimensional, 61
- Electrical resistance of alloys, 478
- Electrode half-reaction, 155
- Electrode potential, *see* Standard electrode potential
- Electrolyte, 213–215
- Electromigration, 50, 369
- Electron affinity, 20–23
 - negative, 21
- Electron configuration, valence, 10
- Electron paramagnetic resonance, *see* Electron spin resonance
- Electron spin resonance, 495
- Electronegativity, 23, 111, 228
 - Mulliken, 23
 - Pauling, 23–24, 26
 - Phillips, 24
- Electronic device, 349, 351, 373
 - fabrication, 363–372
 - feature size, 371
 - figure of merit, 122–123
 - planar technology, 123
- Electronic energy bandgap, 293, 438
- Electronic energy band structure, 228. *See also* Semiconductor, energy band structure
- Electrons
 - itinerant, 81
 - d*-, 22, 85
- Electrooptic tensor, 442
- Ellipsometry, 430, 433
- Embedded atom method, 151–153
- Energy band, 257
- Energy, cohesive, *see* Cohesive energy
- Energy distribution curve, 320, 455–456
- Enthalpy, 360, 515
 - change, standard, 19
 - of formation, standard, 19, 52, 411
 - of melting (fusion), 349, 386
 - of migration, 50
 - of vaporization, 52
- Entropy, 18, 325, 360, 515, 517, 520
 - of melting (fusion), 386
 - of vaporization, 52
- Epitaxial
 - growth, 337, 351–359

- Epitaxial (*Continued*)
 temperature, 356
 thickness, 356
- Equilibrium constant, thermodynamic, 33–34, 391, 411
- Error function, 46–48
- Etching, 363, 370–371, 391–392
 chemical, 370, 373
 dry, 371–373
 inhibitor, 370
 isotropic, 370
 physical, 370
 plasma, 396, 409
 reactive-ion, 370, 372–373
 selective, 370
 wet, 371–373
- Euler relation, 516
- Euler theorem, 63
- Eutectic
 alloy, binary, 53
 composition, 162–163
 temperature, 167, 170, 172
- Eutectoid, 374, 381, 389, 411
- Ewald sphere, 448, 421
- Exchange energy (integral), 81, 86, 229
- Extended x-ray absorption fine structure (EXAFS), 461, 512
- Failure, 96
- Faraday balance, 483
- Faraday effect, *see* Magneto-optical effect
- Fatigue, 97–98
 life, 97
 strength, 98
- Fermi
 circle, 133
 energy, 134, 455
 level, 256, 371, 455, 473
 sphere, 133
 velocity, 60
- Fermi-Dirac distribution, 65, 455, 473, 521
- Fermi golden rule, 319, 455, 528
- Fermi integrals, 64
- Ferrimagnetism, 262, 271, 281
- Ferrite
 acicular, 374–375, 378
 ceramic, 86, 271, 274–275, 281
 phase of iron, 374–378, 381–382, 389–390, 411
- Ferroelectric, 204, 332
 nonvolatile random-access memory, 208
 phase transitions, 206
- Ferromagnetic resonance, 260–262
- Fick's laws, 45, 389
- Field emission, 445
- Float-zone purification, 348–351
- Fluorescence, 438
- Foner magnetometer, 481
- Fourier transform infrared spectroscopy (FTIR), 433
- Fowler-Nordheim tunneling, 314, 405, 445
- Fractional charge, 137
- Fracture
 brittle, 100, 166
 ductile, 100
 stress, 96, 100–101
 toughness, 100
- Frank-Kasper phase, 3
- Frank-van der Merwe growth, 341–342
- Free-energy model, 360
- Free volume, 191, 194
- Friction, 310
- Fuel cell, 214, 217
- Fullerite, 234
- g factor
 Landé, 86, 261
- Galvanomagnetic effect, *see* Magnetoresistance
- Gaussian diffusion profile, 45–48
- Geometric structure factor, 36, 418
- Gettering, 51, 349, 372
- Gibbs-Duhem formula, 516
- Gibbs free energy, 156, 328, 375, 387, 516
 of formation, standard, 391
- Gibbs phase rule, 53, 169
- Gibbs triangle, 169–170, 207–208
- Ginzburg-Landau theory (of superconductivity), 236
- Glass, metallic, 31, 162–164, 281–282, 284, 385–388
- Glass transition temperature, 191, 194, 201, 387, 409
- Grain boundary, 99, 235, 240, 246, 271, 275, 369, 374, 378, 380
 barrier layer, 204
 pinning, 380, 383
- Grain size, 380
 reduction, 380
- Graphite intercalation compound, 233–234, 333
- Griffith criterion, 100
- Guinier-Preston zone, 384
- Gyromagnetic ratio, 261
- Haber process, 308–309
- Hall
 coefficient, 60, 146, 477
 effect, 59, 132, 476
 resistivity, 132, 136
- Hall-Petch relation, 99–100, 380–381
- Hardening
 age, 381, 383
 case-, 389
 precipitation-, *see* Precipitation hardening

- secondary, 381
- work-, *see* Work hardening
- Hardness, 95, 98–99, 377, 382, 388, 390
 - Knoop, 99
 - Vickers, 89
- Harker-Kasper inequality, 30
- Harmonic oscillator, 39–40, 525
- Heat capacity, 517
- Heat treatment, 95, 267, 381–384, 389
- Heavy fermion, 234–235
- Heisenberg exchange interaction, *see* Magnetic interaction
- Helmholtz free energy, 324, 334, 515, 520
- High-resolution transmission electron microscopy (HRTEM), 449
- Hohenberg-Kohn theorem, 149
- Holes, 146
- Hooke's law, 87–89, 91
- Hot carrier, 128
- Hot isostatic pressing (HIP), 396–397
- Hubbard model, 81–82, 229
- Hume-Rothery rules, 268
- Hund's rules, 76, 85
- Hybrid orbital, 9–13
 - dsp^2 , 12–13, 228–229
 - d^2sp^3 , 12–13
 - d^4sp , 13
 - sd^3 , 12
 - sp , 11–12, 21
 - sp^2 , 12–13
 - sp^3 , 12–13
 - sp^3d^3f , 13
- Hydrophobic interaction, 301–302
- Hydrophilic interaction, 301
- Hydrothermal synthesis, 399
- Hysteresis, 91, 159, 208–209, 237
- Icosahedra, *see* Bonding unit, local atomic
- Impurity, 351, 379
- Incommensurate lattice, 310
- Index ellipsoid, 67–68, 441
- Index of refraction, 70, 257, 293, 296, 427–428, 431
 - extraordinary, 69
 - ordinary, 69
- Inert-gas solid, 21
- Initiator, 194
- Interface, 374–375, 386
 - energy, 386
 - Si/a-SiO₂, 364, 367
 - solid-electrolyte, 326
- Intermetallic compound, 166, 268
- Internal energy, electronic, 515, 520
- Internal friction, 90–92
- Interstitial, 33, 367, 376
 - impurity, 379
 - self-, 50–51
- Interstitial site, 164–165, 269, 281
 - BCT, 374, 376
 - FCC, 34
- Invar anomaly (effect), 279–280
- Ioffe-Regel criterion, 60–62
- Ion beam processing, 344
- Ion channeling, 344
- Ion implantation, 158, 367–368, 411
 - intense-pulsed-ion beam (IPIB), 390
 - plasma-immersion (PIII), 367, 390
 - range, 367
 - SIMOX, 368
- Ionic
 - bonding, *See* Bonding, ionic
 - solution, 324
- Ionicity, 21, 24, 26, 111–112
- Ionization energy, 20–21, 23
- Ion slicing, 348
- Isomer shift, *see* Chemical shift
- Isotropic solid, 101
- Jahn-Teller effect, 75
- Jellium model, 152
- Johnson figure of merit, 122
- Johnson-Mehl equation, 381
- Josephson effect, 241–245
 - ac, 243–244
 - current, 241, 243
 - dc, 243
 - frequency, 244
 - inverse ac, 244
 - junction, 241–242, 246
 - quantum interference, 244–245
 - relations, 241–243, 249
- Kauzmann temperature, 191, 194
- Kelvin probe technique, 473
- Kelvin relation, 107
- Kerr effect, *see* Magneto-optical effect
- Keyes figure of merit, 122
- Kikuchi line, 447
- Kinetic effect, 391
- Knight shift, 491
- Kohn-Sham equation, 150
- Kondo
 - effect, 79–80, 85
 - temperature, 80
- Kramers doublet, 75
- Kramers-Kronig relations, 511
- Kronig-Penney model, 57–58
- Landau level, 133–136, 145
- Landau theory of phase transitions, 206
- Langmuir adsorption isotherm, 305–306
- Laser, 76

- Laser damage, 296
- Latent heat of fusion, *see* Enthalpy, of melting
- Lateral force microscope, 474
- Lattice relaxation, 82
- Laue diffraction, 415
- Laves phase, 3, 283
- Law of mass action, 33–34
- Lely process, 397
- Lever rule, 172
- Light-emitting diode, 331, 405
- Liquidus line, 170–173, 349, 411
- Lithography, 365–366
 - LIGA process, 366
 - nano-, 366
 - photo-, 205, 364–365
 - photoresist, 365
- Local density approximation, 150
- Localization, 60
 - Anderson, 62
 - weak, 61, 134
- Lone-pair orbital, *see* Molecular orbital, nonbonding
- Long-range order, *see* Order, long-range
- Lorentz oscillator model, 70, 291
- Loss coefficient, 90
- Low-density microcellular material, 195
- Low-energy electron diffraction (LEED), 419, 422
- Low-energy electron loss spectroscopy (LEELS) 459, 512
- Low-energy electron microscopy (LEEM), 452
- Luminescence, 438
 - cathodoluminescence, 439
- Madelung
 - constant, 17
 - energy, 17, 26
- Magic-angle spinning, 489
- Magnetic
 - aftereffect (relaxation), 262–263
 - energy, 251
 - energy-density product, 265–266, 286
 - field, effective internal (molecular), 82, 85, 260, 262
 - hardening, 282
 - microstructure, 262, 267, 271, 276, 278
 - permeability, 260, 278, 281
 - susceptibility, 78–79, 82–84
 - viscosity, 263
- Magnetic anisotropy, 251–252, 259, 263, 267, 275, 281, 283
 - coefficient, 82, 253, 277, 279, 283
 - energy density, 275
 - field, 251, 260, 262, 284
 - magnetocrystalline, 82, 252, 268, 271–274, 279
 - magnetostrictive, 252, 263, 268, 277
 - pair model (Van Vleck), 82
 - pair-ordering, 277
 - shape, 252–253, 267, 272, 274
 - single-ion, 277
 - uniaxial, 268, 271
- Magnetic domain, 251, 259–260
 - pinning of, 266, 271, 279
 - wall energy, 251
 - wall thickness, 279, 285
- Magnetic interaction
 - double exchange, 256, 273
 - Heisenberg exchange, 82, 255
 - indirect, 270
 - RKKY (Ruderman-Kittel-Kasuya-Yosida), 79–80, 83–85
 - sp-d*, 285
 - superexchange, 229, 256, 284–285
- Magnetic materials
 - hard, 264, 269
 - magneto-optical recording, 277–278
 - magnetostrictive, 282–284
 - permanent magnet, 264–272, 286
 - read/write head, 281–282
 - recording media, 272–277
 - soft, 264, 278
- Magnetic moment, 234, 253, 261, 280
 - formation, 81
- Magnetization, 83–84, 253–254, 256–257, 261, 263, 286
 - curve, 259, 264
 - easy direction for, 251, 253, 272
 - loop, 259, 278
 - quantum tunneling of, 263
 - remanent, 236–237, 265–266
 - saturation, 86
 - spontaneous, 82, 253, 277–278, 280
 - sublattice, 273
- Magnetoelastic energy, 283
- Magnetomechanical damping, 263
- Magneto-optical effect, 257–260
 - Faraday, 257–258, 285, 290
 - Kerr (MOKE), 258–260, 277–278
 - magnetic circular birefringence, 257
 - magnetic circular dichroism, 258
 - magnetic linear birefringence, 258
 - magnetic linear dichroism, 258
 - surface Kerr (SMOKE), 259
- Magnetoresistance, 133, 255–257, 281, 285
 - colossal, 255
 - giant negative, 255, 281–282
 - longitudinal, 255
- Magnetostriction, 253–254, 279, 281–284
 - giant, 282–283
 - isotropic, 253
 - linear, 253
 - strain, 254, 279
 - volume, 280
- Magnon, *see* Spin wave
- Manson-Coffin relation, 98
- Martensite, 159–161, 374–381, 389, 411

- Martensitic transformation, 16, 268, 376
- Mass spectrometry, 466–467, 514
 - modulated-beam, 357
- Materials property chart, 100
- Maxwell's equations, 71
- Mean free path
 - electron, 60, 221, 232
 - ferrite path (MFFP), 381
- Mechanical damping, 284
- Melting temperature, 50, 52, 214, 349–350
- Metal hydride, 164
- Metal-insulator transition, 229, 256
- Metallic
 - bonding, *see* Bonding, metallic
 - radius, *see* Radius, metallic
- Metallization, 369–370
- Metal, transition, 266
- Micelle, 301
- Microelectromechanical system (MEMS), 372–373
- Microporous film, 195–196
- Microstructure, 240, 363, 374, 376–377, 381–386, 388–390
- Microwave processing, 408
- Mictomagnetism, 85
- Mismatch function, 28
- Mobility, 60, 115, 213
 - edge, 61, 115
 - minimum metallic, 60
- Modulation doping, 129–130
- Modulus of elasticity, *see* Young's modulus
- Molecular beam epitaxy (MBE), 356–359
- Molecular field theory, Van Vleck
 - (antiferromagnetism), 86
- Molecular geometry, 27
- Molecular orbital, 13–17
 - antibonding (ABMO), 17, 228
 - bonding (BMO), 14
 - delta, 15–16
 - nonbonding (NBMO, lone-pair), 16–17, 116
 - pi, 15
 - sigma, 14, 228
 - theory, 75, 228
- Molecular weight, 183
- Mossbauer spectroscopy, 496
- Mueller matrix, 289
- Mulliken notation, 77
- Multilayer material, 255, 281, 329
- Muon-precession spectroscopy, 503

- Near-field optical spectroscopy, 442
- Necking, 348
- Néel temperature, 86, 223–224, 229, 234
- Nernst equation, 327
- Neutron scattering, 424, 426
- Noncrystalline solid, *see* Amorphous solid
- Nonlinear chromophore, 201
- Nonlinear optical coefficient, 200, 296, 440
- Nonlinear optical material, 332
- Nonlinear optical spectroscopy, 439
- Nonstoichiometry, 34
- Normal mode, 38
- Nuclear magnetic resonance, 484, 504
- Nuclear quadrupole resonance, 491
- Nucleation, 342, 352, 356, 374, 378, 381, 386

- Onsager formula, 133
- Onsager relations, 56, 478
- Optical absorption edge, 105
- Optical band structure, 293
- Optical spectroscopy, 427
- Orbital, *see* Atomic orbital, Hybrid orbital, Molecular orbital
- Order
 - intermediate-range, 31
 - long-range, 112, 359
 - short-range, 112, 163, 359
- Orowan expression, 95, 381, 385
- Ostwald ripening, 398
- Oxidation, 154, 156
 - of Si, 364–365, 411
- Oxide
 - field, 364
 - gate, 364

- Packing fraction, 191
 - BCC, 3
 - CsCl, 4
- Paramagnetism, Pauli, 86, 234
- Passivation, 122, 157, 364
- Patterson
 - function, 28–29
 - map, 29
- Pauli exclusion principle, 9
- Pauli paramagnetism, *see* Paramagnetism, Pauli
- Pearlite, 374–382, 389, 411
 - coarse, 381
 - fine, 381
- Peierls instability, 153, 199
- Peltier effect, 106–109, 140–143, 477, 480
- Percolation, 256
- Permittivity, 72
 - relative, 110
- Persistence length, 189
- Phase-contrast image, 454
- Phase diagram, equilibrium
 - binary, 163, 167, 349–350, 383–384, 387, 411
 - CVD, 391–393
 - eutectic, 387
 - ternary, 169–170, 394
- Phase matching, 69, 200, 330, 440–441

- Phase transition
 - athermal, 376
 - first order, 206
- Phillips and Van Vechten model, 110–112, 147
- Phonon
 - density of states, 35–36, 43
 - drag, 109
 - monatomic random lattice, 35
 - quantization, 38
- Phosphorescence, 438
- Photoemission, 317
 - angular-resolved spectroscopy (ARPES), 456
 - inverse, 454, 456
 - ultraviolet spectroscopy (UPS), 454
 - x-ray spectroscopy (XPS), 457
 - yield, 317
- Photonic crystal, 296
- Photorefraction, 202
- Photoresist, 409
- Photovoltaic solar cell, 137–140, 360
 - fill factor, 139
 - multicolor, 140
 - open-circuit voltage, 138
 - short-circuit current, 138
- Physical vapor deposition, 368–369
- Physisorption, 309
- Piezoelectricity, 201, 210
- Pilkington process, 400
- Plasma
 - carburizing, 368
 - deposition, 359–363
 - electron cyclotron-resonance (ECR), 262
 - etching, 396, 409
 - frequency, 110, 291, 429, 513
 - nitriding, 368
 - processing, 409
- Plasmon
 - surface, 461, 465
 - two-dimensional, 461
- Plastic deformation, 93, 99, 379
- pn junction, 137, 368
 - built-in voltage, 138
 - J-V characteristic, 138
- Poisson-Boltzmann equation, 325
- Poisson equation, 324–325, 458
- Poisson ratio, 101, 322
- Polariton, 68, 70
- Polarization
 - remanent, 208
 - saturation, 209
 - spontaneous, 206–207
- Polarizer, 287–290
- Polyhedron
 - prism, triangular, 271
 - Voronoi, 27
 - CN14, CN15, CN16, 3
- Polymer, 116
 - cross-linked, 194
 - electrical conductivity, 196, 404
 - foam, 194
 - linear, 183
 - nonlinear optical, 200
 - porous film, 195
- Polymerization, 365
- Porous metal, 166
- Porous silicon, 117, 372–373
- Positron-annihilation spectroscopy (PAS), 499
- Potential energy, 87–88
- Precipitate, 94–95, 267, 278, 369, 380–383, 389, 393
- Precipitation hardening, 95, 266–267, 269, 383–385
- Processing, 337–410
- Pseudobinary compound, 282, 284
- Pseudomorphic growth, 343
- Pyrolysis, 354
- Quadrupole coupling parameter, 493
- Quadrupole mass spectrometer, 467, 514
- Quadrupole moment, 494
- Quadrupole tensor, 493
- Quality factor, 91
- Quantized magnetic flux, 135
- Quantum confinement, 117
- Quantum efficiency, 138
- Quantum Hall effect, 132
 - fractional, 137
 - integer, 133
- Quantum mechanics, 523
- Quantum well, 146, 525
- Quartz crystal
 - deposition monitor, 210, 212
 - microbalance, 476
 - oscillator, 210, 212
- Quasiequilibrium model, 391–392
- Quasiperiodicity, 332
- Radial distribution function, 31
- Radius, 24
 - covalent, 25, 110
 - ionic, 25
 - metallic, 25
 - van der Waals, 25
- Radius of gyration, 186, 202
- Radius ratio and polyhedral coordination, 181
- Raman scattering, 176, 435
- Random close-packing model, 31–32, 386
- Random walk, 185–186
 - self-avoiding, 188–189
- Range, 345–347
- Rapid solidification (quenching), 162, 271, 385–388, 390
 - velocity, 386
- Rayleigh resolution criterion, 442

- Rayleigh scattering, 436, 446
- Reactive ion etching, 347
- Reciprocal lattice vector, 36
- Recombination, electron-hole, 118–122, 356
 - defect-mediated, 119–121
 - surface, 121–122
- Reconstruction, 420
- Recrystallization, 165, 347
- Redox couple, 326, 328–329
- Reflection high-energy electron diffraction (RHEED), 357, 423–424
- Reflectivity, 428, 513
- Relaxation, 101
 - time, 89–92
- Relaxor ferroelectric, 203–04
- Resistivity, 104–105, 132, 205, 230–231, 260, 272, 279, 476–477
- Resonance valence band model, 229
- Reststrahlen band, 71
- Rupture modulus, 205
- Rutherford backscattering, 467–468, 511

- Scaling law, 83
- Scanning electron microscope (SEM), 433
- Scanning tunneling microscope (STM), 366, 373, 472
- Scattering
 - amplitude, 36, 418
 - Brillouin, 436
 - Raman, *see* Raman scattering
 - spin-dependent, 255
- Schottky barrier, 139, 369
- Schottky defect, *see* Vacancy
- Schrodinger equation, 145, 242, 299, 314, 523, 526
- Screening, Thomas-Fermi, 111, 346
- Second-harmonic generation, 69, 330
- Secondary ion mass spectrometry (SIMS), 466
- Seebeck
 - coefficient, 106
 - effect, 106–107, 141
- Segregation, 276
- Semiconductor
 - amorphous, 112–116
 - carrier concentration, 103–105, 146–147
 - conductivity, 104–105
 - doping and dopants, 129–130, 355, 364, 366
 - energy gap, 139
 - group III–V, 359
 - group II–VI, 284, 359
 - magnetic, 117, 284–285
 - minority carrier lifetime, 118, 121
 - organic, 116–117
 - oxide, 116
 - thermoelectric effects, 106–110
- Shape-memory alloy, 159–161
- Shear modulus, 93, 95–96, 101, 163, 322, 381
- Shockley state, 300

- Short-range order, *see* Order, short-range
- Shubnikov-deHaas effect, 133
- Silicate, 174–176
- Sintering, 94, 271, 396–397
- Skin depth, 260
- Skin effect, 260
- Slip, 376
 - system, 93
- Snoek effect, 262–263
- Solder joint, 165
- Sol-gel synthesis, 399
- Solid-electrolyte interface, 326, 328
- Solid solution, 383
 - strengthening, 95, 100, 379–380
- Solidus line, 349, 411
- Soliton, 199
- Solvation energy, 213, 302, 328
- Sommerfeld model, 317
- Specific heat, 37, 480
 - electronic, 234
 - magnetic contribution, 83–84
- Speed of sound, 210, 217
- Spin, 86
 - free, 78
 - high-to-low transition, 77
 - majority, 256
 - minority, 256
- Spin coating, 406
- Spin-flop axis, 82
- Spin glass, 79–80, 82–85, 263, 285
- Spin-orbit interaction, 75–76, 82, 253, 271, 283
- Spintronics, 285
- Spin valve, 282
- Spin wave (magnon), 261
- Spinodal decomposition, 276
- Sputtering 363, 370, 389, 430, 466. *See also* Deposition, sputtering
- SQUID, 245–246
- Stacking fault, 352
- Staging, 333
- Standard electrode potential, 155–157, 327
- Statistical mechanics, 519
- Steel, 267–268, 278, 374–383, 389
 - high-strength low-alloy (HSLA), 380
 - maraging, 381
 - tool, 411
- Sticking coefficient, 158, 303–304, 358, 369
- Stokes parameters, 288
- Stopping power, 347
- Straggling distance, 346
- Strain, 263, 385
 - aging, 379
 - energy, 375, 379
 - field, 379
 - nominal, 101
 - rate, 96–97
 - recovery, 161
 - shear, 94–95, 376

- Strain (*Continued*)
 tensor, 211
 true, 101
- Stranski-Krastanov growth, 341, 343
- Strength, 321, 374, 378–383
- Stress, 263, 268
 compressive, 389
 flow, 381
 intensity factor for plane stress (strain), critical, 100
 shear, 93–94, 379
 thermal, 352, 355
- Stress-strain curve, 88, 92–94
- Sublimation, *see* Vaporization
- Substrate, 205
- Sum rule, 511
- Superconductor
 coherence length, 249
 condensation energy, 221, 248–249
 Cooper pair, 241–244, 247
 critical current, 232, 235–241, 249
 critical field H_c , thermodynamic, 248–249
 critical field H_{c1} , lower, 238
 critical field H_{c2} , upper, 238
 electron tunneling, 241, 249
 energy gap, 232
 flux creep, 237, 239–240
 flux flow, 237
 free energy, 219, 221, 248
 gapless, 232
 hard versus soft, 236
 high- T_c , 223–233, 240–241, 246, 249
 irreversibility field, 239
 irreversibility temperature, 239
 Josephson effect, *see* Josephson effect
 magnetization, 236–237, 248
 mixed state, 235, 238
 penetration depth, 249
 perfect conductivity, 248
 quantized flux, 244, 249
 specific heat, 228, 232, 248
 SQUID, *see* SQUID
 surface resistance, 246, 248
 thermal conductivity, 219–220, 247
 transition temperature, 223
 trapped flux, 237, 239
 two-fluid model, 219, 248
 type II, 238
 vortex, 232, 240
 vortex fluid, 237–239
 vortex glass, 238
 vortex lattice, 238
 vortex pinning, 235–239
 wavefunction, 242
- Supercooling, 386
- Superelasticity, 161
- Superexchange, *see* Magnetic interaction
- Superlattice, 281
- Supermagnet, 268
- Superparamagnetism, 263, 275
- Supersaturation ratio (SSR), 354
- Surface, 258–259, 353
 diffusion, 306–307, 356
 energy, 100, 339, 342, 375, 382, 401
 enhanced Raman scattering (SERS), 437
 extended absorption fine structure (SEXAFS), 463
 force apparatus, 475
 net, 311, 420
 plasmon, 461
 reaction, 355, 362
 reciprocal net, 422, 431
 recombination velocity, 121
 roughening, 356
 state, 121, 299
 step, 310
 treatment (for metals), 388–390
- Surfactant, 301
- Symmetry
 decagonal, 387
 icosahedral, 387
 rotational, 387
- Synthesis, 337–410
- Tail state, 113, 115
- Tanabe-Sugano diagram, 76
- Tauc law, 113–114
- Tempering, 377, 379, 381–382
- Tensile strength, 378, 382
- Thermal conductivity, 310, 386, 397, 477–478, 480
 ceramic, 203, 205
 semiconductor, 295
- Thermal diffusivity, 159, 386, 480
- Thermal expansion, 166, 205
 linear coefficient, 211, 275, 295–296
 volume coefficient, 191, 194, 397
- Thermistor, 212
- Thermocouple, 140, 479
- Thermodynamics, 515
 first law, 477, 515, 518–520
 second law, 517
 third law, 517
- Thermoelectric
 device, 140–145
 field, 478
 figure of merit, 142
 power (thermopower), 106–107, 140, 146, 477, 479–480
- Third-harmonic generation, 69
- Third-order susceptibility, 441
- Thomson effect, 107
- Tight-binding model, 62, 82, 152, 154, 229
 random, 56–57
- Time-temperature-transformation (TTT) diagram, 376, 378

- Torque, magnetic, 261
- Toughness, 321, 374, 378, 381
- Transistor, 112–132, 147, 364
 - bipolar junction, 123–127
 - DRAM, 363
 - field-effect (FET), 123, 127–129
 - gain, 124–125
 - HEMT, 130
 - heterojunction bipolar (HBT), 126–127
 - MESFET, 131–132
 - MODFET, 130
 - MOSFET, 132, 134, 364
 - thin film (TFT), 115, 130–131, 360
- Transition element, 85
- Transition metal, 266
- Transmission electron microscope (TEM), 340, 356, 445
- Traps, 121, 356, 369, 499
- Tunneling, 527
 - energy, 81, 229
- Twin, 376
- Two-dimensional electron gas, 132

- Ultraviolet photoemission spectroscopy (UPS), 454
- Unit cell
 - body-centered tetragonal, 374
 - orthorhombic, 224
 - tetragonal, 270
- Urbach edge (tail), 114

- Vacancy, 51, 227, 367, 369, 499
 - concentration, 49
 - Frenkel defect, 34
 - Schottky defect, 33–34, 48
- Valence, 22–23
 - electron, 10
 - mixed, 223–224, 253
- van der Pauw method, 477
- van der Waals bonding, *see* Bonding, van der Waals
- van Hove singularity, 42–43

- Van Roosbroek-Shockley relation, 118
- Vaporization, 52–53, 411
- Vapor pressure, 52–53, 115, 354, 391, 411
- Variable-range hopping, 115
- Vegard's law, 147
- Velocity, thermal, 120
- Verdet constant, 258, 290, 292
- Vibrating-sample magnetometer, 481
- Viscoelasticity, 180
- Viscosity, 193–194, 213–214
- Void, 113, 275, 369
- Voigt effect, 259
- Volmer-Weber growth, 341–342
- Voronoi polyhedron, 27

- Wear resistance, 388, 390
- Weertman-Ashby map, 96–97
- Welding, 383
- Wigner crystal, 62
- Wigner-Seitz cell, 41
- Williams-Landel-Ferry equation, 193–194
- Work function, 331, 454
 - negative, 501
- Work hardening, 92–94, 96, 378–379
 - Taylor's theory of, 94

- X-ray diffraction
 - Laue, 415
 - powder, 415, 514
 - rotating crystal method, 415, 418

- Yield
 - stress (strength), 95, 163, 379–383
 - stress, shear, 93, 95, 99
- Young's modulus, 87–91, 100–101, 339, 397

- Zeeman effect, 493
- Zener model, 89–91
- Zero-point energy, 41